
North Dakota Department of Transportation

	INVITATI	ON TO BID ND	OOT Contract # 3 0 12 1 1 0 1
Bid Number: 840-84-12-050		Bid Opening Date	e & Time: 07/06/2012 02:00 PM
Items: Camera Site Materials	WANTES Annuals as well as the engine of growth of the Scholar and the engine of group or growth.	Buyer: Marilyn La	angehaug
Bid Mailing Address: Rm. 222, 608 Ea	ıst Blvd. Ave.	Telephone Numb	per: 701-328-4466
City, State, Zip: Bismarck, ND 58505-	0700	Email: mlangeha	ug@hotmail.com
Contract Period: 07/16/2012 TO 06/30)/2013	Date Prepared: 0	06/14/2012
NDAC 04-12-01 - 04-12-16. One contraction (NDOT) prior to the time	the attached forms in opy of your bid resp e and date specified to e rejected. Mark env	oonse must be return for the bid opening. I relope with word "BID	the instructions and specifications in the ned to the North Dakota Department of Bid responses received after the time an and the opening time and date. If you a binding contract.
This contract is made and actional into		TRACT	
This contract is made and entered into Vendor Name	<u>טעא and between אטט</u>	Vendor Address	orth Dakota (nereinafter state) and
Great Plains Towers, Inc.		1	et West, West Fargo, ND 58078
The following must be completed by Vendor Name Great Plains Towers, Inc.		•	ncorporated into and made a part of thi
Mailing Address 126 Sixth Street West, West	Fargo, ND 580	78-1536	
Telephone Number 701-282-2236	Fax Number 701-282-2148		E-mail Address info@greatplainstowers.com
Dwight Johnson, Vice Presid	lent		
Name & Title (Type of Print) Signature		Pres., or other be rejected. Officer, please	by Owner; Partner; Corp. Pres., Vice or authorized Corp. Officer or bid may (if signed by other authorized Corp. or attach copy of Power of Attorney or nation showing authority to sign.)
June 25, 2012 Date	Meanways and the state of the s	Other documen	nation showing authority to sign.
FOR ND DEPARTMENT OF TRANSPO	ORTATION USE ONL	Y Accepted by the st	ate according to provisions of award.
Authorized Signature	-//		Date
Dan & Letter	H		7/20/12
Recommended for approvat		Date 7- /8- /2	Approximate contract amount \$ wknow







MAILING INSTRUCTIONS

Mail only one completed ar	nd signed request for	bid document per	envelope, unle	ss instructed of	otherwise. I	Request for
bid documents not signed of						

BID IS:

SEALED

NOT SEALED

Address the envelope containing your response in the following manner:

BID NUMBER - 840-84-12-050
BID OPENING DATE/TIME - July 6, 2012; 2:00 p.m.
N. D. DEPT. OF TRANSPORTATION
PROCUREMENT, RM 222
608 E BOULEVARD AVE
BISMARCK ND 58505-0700

BIDDERS INSTRUCTIONS

- 1. <u>Acceptance/Rejection/Waiver.</u> The state of North Dakota reserves the right to accept or reject any or all bids and to waive minor irregularities or technicalities, provided such waiver does not substantially change the offer or provide a competitive advantage to any vendor, in the judgment of the state.
- 2. <u>Affirmative Action.</u> The contractor will take affirmative action in complying with all Federal and State requirements concerning fair employment and employment of handicapped, and concerning the treatment of all employees without regard to discrimination by reason of race, color, religion, sex, national origin, or physical handicap.
- 3. Assistance to Bidders with a Disability. Bidders with a disability that need an accommodation must contact the Procurement Officer prior to the deadline for receipt of bids so that reasonable accommodations can be made.
- 4. <u>Alterations and/or Corrections.</u> The person signing the bid response must initial any or all manual alterations and/or corrections to the bid response. Those bid responses with alterations and/or corrections that are not initialed may be rejected.
- 5. **Award.** Award will be made to a responsive, responsible bidder with the lowest price considering conformity with specifications, terms of delivery, quality, and serviceability. NDDOT reserves the right to consider bids varying in minor respects from any specific requirements herein, but judged to meet the intent of this request.

Contracts are not awarded at the bid opening. Bid responses will be firm for 30 days, unless stated otherwise.

- 6. **Awards, Splitting of.** The state reserves the right to make awards by item, groups of items, or on the total low bid for all the items specified as indicated in the detailed specifications. Bidders interested only in the total low bid for all items are to state 'all or nothing' on their bid response.
- 7. Bidder Checklist. HAVE YOU REMEMBERED TO:
 - Bid F.O.B. Destination (Ship To: Address) Freight Prepaid.
 - Mark envelope as indicated.
 - Review Standard Terms and Conditions contained in this solicitation.
 - Sign your bid on the cover sheet.
 - Initial all bid/pricing changes you made.
 - Bid responses must be submitted in ink or type written.
 - Review and complete all requirements contained in this solicitation to ensure compliance.
- 8. <u>Bidder's Responsibility and Late Bids.</u> It is the bidder's responsibility to ensure that a bid response is physically deposited with the NDDOT Procurement Office prior to the date and time specified for the opening. Late bid responses will not be opened and will be rejected and returned regardless of the degree of lateness or the reasons. It is the bidder's responsibility to comply with the State of North Dakota's laws and regulations.

RFB 840-84-12-050,	Camera	Site	Ma	teria	als
		Dag	. 1	af 1	17

9. <u>Bid Summary.</u> Bid summaries are available when the bid has been awarded. When bids are issued using the State's electronic bidding system, the bid summary will be posted and available for download from: http://www.nd.gov/spo/

Bid summaries will be mailed to those bidders who supply a self-addressed, stamped envelope with their bid response. A copy of the bid summary may also be obtained by visiting the NDDOT Procurement Office during normal working hours.

- 10. **<u>Bid Bond.</u>** Waived in this instance: however, bidder(s) failing to enter into a contract with this office, upon notification of award, may be subject to removal from the bidder's list.
- 11. Clarifications, Bid Changes and Questions Deadline. The Procurement Officer is the point of contact. Any irregularities, lack of clarity, requested bid changes and all questions regarding this bid and the procurement process must be addressed to the Procurement Officer referenced on the first page of this document not later than end of business June 25, 2012. (Contact information is indicated on cover page). The bidder is cautioned that the requirement of this solicitation can be altered only by written amendments and that verbal communications from whatever source are of no effect.

12. Definitions.

- Bidder any person or firm submitting a competitive bid in response to a solicitation.
- Bid summary a summary of all bid responses received by the NDDOT Procurement Office.
- Bid response the executed document submitted by a bidder in response to a solicitation.
- Contract a deliberate written agreement between two or more competent persons to perform specific act or acts.
- Contractor any person or firm having a contract with a governmental body.
- Solicitation the process of notifying prospective bidders that the state wishes to receive bids for furnishing goods or services.
- 13. <u>Deviation from Specifications Supplied by NDDOT.</u> Unless otherwise indicated by the bidder, it will be assumed that specifications will be met in all respects. Any deviation from the minimum specifications indicated herein must be clearly pointed out PRIOR TO THE DEADLINE FOR RECEIPT OF QUESTIONS; otherwise, it will be considered that the items offered are in strict compliance with these specifications, and the bidder will be held responsible.
- 14. <u>Electronic & Facsimile Bids.</u> Bid responses are not to be email attached or faxed to the NDDOT unless this transmittal method has been authorized by the Procurement Officer or bid document. (Contact the Procurement officer regarding additional requirements and exceptions.) Bid responses electronically submitted or faxed may be rejected as non-responsive.
- 15. <u>Freight/F.O.B. Destination.</u> Freight and transportation charges are to be included in the price of the products, unless otherwise specified in the solicitation. (F.O.B. Free On Board).
- 16. <u>Indemnification.</u> The attached Risk Management Appendix will be incorporated into the contract. The successful Bidder may be required to furnish proof of insurance, as detailed in the Risk Management Appendix.
- 17. <u>Multiple Bid(s)</u>. Bidders may submit more than one bid response(s) for the item(s) specified in the solicitation. Each bid submitted must comply in all aspects with the bid requirements and these instructions.
- 18. <u>Negotiation.</u> NDDOT reserves the right to negotiate with the successful bidder to ensure the best possible consideration is afforded to all concerned.
- 19. **Open Records.** After award, bid documents will be subject to the North Dakota open records law. Records are closed or confidential only if specifically stated in law. If a request for public information is received, the procurement officer will determine whether the information is an exception to the North Dakota open records law, and the information will be processed appropriately. Those interested in reviewing the bid file, are to make arrangements, with the NDDOT Procurement Office. The NDDOT Procurement Office hours are 8:00 a.m. 12:00 p.m. and 1:00 p.m. 5:00 p.m. Monday through Friday.

- 20. <u>Packaging.</u> All shipments are to be packaged according to accepted commercial practices to avoid damage in shipment.
- 21. <u>Performance Bond.</u> Successful bidders will not be required to furnish a performance bond; however, failure to perform satisfactorily will result in the immediate termination of the contract(s) and bidders may be subject to removal from the bidder's list.
- 22. <u>Preparation of Bid.</u> Bids will be accepted on NDDOT forms only. If the document is located on the State Procurement Office website, then bidder is to download the document and type or write their responses as indicated by the bid document. Alteration of the bid document may be cause for bid rejection. Bidders are cautioned to examine specifications and all instructions. Failure to do so will be at the bidder's risk.
- 23. **Pricing.** Unit prices are to be stated in United States currency and based on the unit of measurement specified in the solicitation, F.O.B. Destination, to the NDDOT delivery locations specified herein.

In the event of mathematical differences between the unit price and extended total, the unit price will prevail.

- 24. <u>Protest of Award.</u> An interested party may protest the award within seven days after receiving notice in accordance with N.D.C.C. 54-44.4-12 and N.D.A.C. 4-12-14.
- 25. <u>Receipt of Bids.</u> All <u>sealed</u> bids received by the NDDOT Procurement Office will be opened and read in Room 222, 608 East Boulevard Avenue, Bismarck, North Dakota, at the time specified in the solicitation.
- 26. Rejection. Bid responses may be rejected if:
 - The bid response is not legible.
 - The bid response is not submitted on the form supplied.
 - The bid response is not completed as requested.
 - The bid response is completed and/or signed in pencil.
 - The bid response is faxed to the procurement office.
 - The bid response is not signed by an authorized company representative.
 - The bid response is not responsive to the specifications or other requirements of the solicitation.
 - Changes to the bid response are not initialed.
 - The bid response is received after the time and date specified.
 - The bidder has not met Vendor Registration requirements or is suspended or debarred.
 - The bid document has been altered by the bidder.
 - The bidder is determined to be not responsible (N.D.A.C. 4-12-11-04).
 - The price is not fair and reasonable
 - Or a combination of above.
- 27. <u>Signature</u>. The bid must be signed manually in ink. The name and title of the person signing the bid response must be typed or printed above the signature. The bid must be signed by <u>Owner</u>, <u>Partner</u>, <u>Corp</u>. <u>Pres.</u>, <u>Vice Pres.</u>, <u>or other authorized Corp</u>. <u>Officer</u> or the bid may be rejected. If signed by other authorized Corp. Officer or representative, please attach a letter signed by the Owner, Partner, Corp. Pres., or Vice Pres. indicating the individual has authority to enter into a contract on behalf of the company (or a Power of Attorney).
- 28. <u>Supplemental Terms and Conditions</u>. Bids including <u>supplemental</u> terms and conditions will be accepted, but supplemental conditions that conflict with any conditions contained in this ITB or that diminish the State's rights will be considered null and void. The State is not responsible for identifying conflicting supplemental terms and conditions before issuing a contract award.

After award of contract:

- a) If a conflict arises between a supplemental term or condition included in the bid and a term or condition of the ITB, the term or condition of the ITB will prevail, and,
- b) If the State's rights would be diminished as a result of application of a supplemental term or condition included in the bid, the supplemental term or condition will be considered null and void.

Changes, modifications, additions, or alterations to the bid document could be cause for rejection of the submitted bid at the sole discretion of the NDDOT. Contact the Procurement Officer in writing prior to the deadline for clarifications.

- 29. <u>Taxes.</u> The State does not pay sales tax or federal excise tax. The state sales tax exemption number is E-2001. The federal tax-free transaction number is 45-0309764.
- 30. <u>Vendor Registration</u>. Bids will be accepted from bidders who are not currently Approved Bidders for the State of North Dakota; however, the successful bidder may be required to become approved prior to award, in accordance with N.D.C.C. 54-44.4-09. To become an Approved Bidder, you must: 1) register with the North Dakota Secretary of State (fees apply), and 2) submit a completed Bidder List Application to the ND State Procurement Office. Registration instructions and forms are available on-line at: www.nd.gov/spo/vendor. Contact the ND State Procurement Office at 701-328-2683 or infospo@nd.gov for assistance.
- 31. <u>Withdrawal or changes to a bid response prior to the bid opening date and time.</u> A bidder may withdraw or make a change to his bid response prior to the bid opening date and time. The request to make a change or withdraw must be in writing by a representative of the firm. The request to withdraw or change must be signed by the bidder or his designated representatives.
- 32. <u>Withdrawals after the bid opening date and time.</u> Withdrawals after the bid opening will be allowed only upon written approval from the NDDOT Procurement Office. Vendors continually withdrawing bids after the bid opening may be removed from the Vendor Database.

GENERAL CONTRACT TERMS AND CONDITIONS

- 1. Applicable Law and Venue. Any dispute arising out of this agreement will be resolved under the laws of the State of North Dakota.
- 2. <u>Binding Contract.</u> The acceptance of a bid response in writing by the purchasing agency constitutes a contract between the bidder and the State. Written acceptance from the purchasing agency will be in the form of a purchase order, notification of award, or contract. Any oral agreement or arrangement by a bidder with a State employee or purchasing agency will have no force or effect unless reduced to writing.
- 3. <u>Compliance with Laws, Nondiscrimination and Affirmative Action.</u> The contractor must, in performance of work under this contract, fully comply with all applicable federal, state or local laws, rules, regulations and policies, including those relating to nondiscrimination, affirmative action, accessibility and civil rights including Title VI of the Civil Rights Act of 1964. The contractor agrees to file all required reports on time, to make required payroll deductions, and to pay all taxes and premiums owed on time, including sales and use taxes and unemployment compensation and workers' compensation premiums. The contractor shall have and keep current at all times during the term of this contract all licenses and permits required by law.
- 4. <u>Contract Amendments, Waivers.</u> After a binding contract has been entered into, no changes (i.e. additions, substitutions, subcontracting or a price adjustment) may be made, unless prior approval has been obtained from the purchasing agency and Procurement Officer.

The terms of this contract shall not be waived, altered, modified, supplemented, or amended, in any manner whatsoever, except by written instrument signed by the parties. No waiver consent, modification or change of terms of this agreement shall bind either party unless in writing and signed by both parties .Such waiver, consent, modification, or change, if made shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements, or representations, oral or written, not specified herein regarding this agreement.

5. <u>Contract Term and Renewal Option</u>. The NDDOT will enter into a contract with an effective date **beginning** July 16, 2012 and ending June 30, 2013, inclusive. This contract may be renewed upon satisfactory completion of the initial contract term. The NDDOT reserves the right to execute up to two options to renew this contract for a period of twelve (12) months each, not to exceed thirty-six (36) months total. Renewals will be documented by amendment.

The NDDOT reserves the right to renegotiate price and terms provided that such negotiated price and terms fall within the original scope of work for this bid. Negotiations may be conducted annually or at such times that additional and unexpected services falling within the scope of the contract may occur. Such changes will be documented by amendment to the contract.

6. Contract Termination.

- a. **Termination without Cause.** This contract may be terminated by mutual consent of both parties, or by either party upon 30 days' written notice.
- b. **Termination for Lack of Funding or Authority.** The State may terminate this contract effective upon delivery of written notice to the contractor, or on any later date stated in the notice, under any of the following conditions:
 - i. If funding from federal, state, or other sources is not obtained and continued at levels sufficient to allow for purchase of the services or supplies in the indicated quantities or term. The contract may be modified by agreement of the parties in writing to accommodate a reduction in funds.
 - ii. If federal or state regulations or guidelines are modified, changed or interpreted in such a way that the services are no longer allowable or appropriate for purchase under this contract or are no longer eligible for the funding proposed for payments authorized by this contract.
 - iii. If any license or certificate required by law or regulation to be held by the contractor to provide the services required by the contract is for any reason denied, revoked or not renewed.

Any such termination of this contract under (i), (ii), or (iii), above, shall be without prejudice to any obligations or liabilities of either party already accrued prior to such termination.

- c. **Termination for Cause.** The State by written notice of default to the contractor may terminate the whole or any part of this contract:
 - i. If the contractor fails to provide services required by this contract within the time specified herein or any extension thereof; or
 - ii. If the contractor fails to perform any of the other provisions of this contract, or so fails to pursue the work as to endanger performance of this contract in accordance with its terms and after receipt of written notice from the State, fails to correct such failures within ten days or such longer period as NDDOT may authorize.
 - iii. The rights and remedies of the State provided in the above clause related to defaults by the contractor are not exclusive and are in addition to any other rights and remedies provided by law or under this contract.
- d. **Termination, Deliveries.** If the contract is terminated for any reason, the contractor is responsible for delivery of all commodities and services ordered prior to the termination, unless those orders had been canceled by the Purchasing Agency or Entity.
- 7. **Contract Price Adjustment**: The Contract Unit Prices shall be firm for the twelve (12) months of the contract period. On an annual basis, all unit prices may be subject to price adjustment (increase / decrease). The request for a price adjustment shall be submitted to the Procurement Office at least forty five (45) days before the scheduled contract expiration date and <u>must include justification</u> for the proposed change. The Procurement Officer will respond as follows:
 - 1) The request may be granted.
 - 2) The contract may be cancelled and solicitation may be re-advertised, or
 - 3) The contract may be continued without change.

If a price increase is approved by the NDDOT, the date the increase will be effective along with the new unit prices will be included in an amendment document. Approval of any price increase renews the twelve month firm price period.

The State shall also be advised of and receive the benefit of any price decrease. The same notification and review process will apply to a decrease in cost.

- 8. <u>Materials and Workmanship.</u> All material and workmanship shall be subject to inspection and testing at the discretion of the purchasing agency.
- 9. <u>Inspection and Investigations.</u> The State reserves the right to conduct inspections and investigations related to the bidder and offered commodities or services to make determinations regarding compliance with the bid requirements and responsibility of the bidder.

10. <u>Billing and Payment Procedures:</u> Purchase orders may be issued by the NDDOT Procurement office, IT-Radio Shop or District Offices to the awarded contractor.

Invoices are to be submitted as indicated on the purchase orders unless otherwise instructed. Failure to submit correct invoices to the appropriate NDDOT office may delay contractor payment.

Payment will normally be made within thirty days after delivery and acceptance of commodities or services under this contract and receipt of a correct invoice. All invoice and payment inquiries must be directed to the purchasing agency.

- 11. <u>Subcontracts, Assignment</u>: The contractor shall not subcontract, assign or transfer the contractor's interests or duties under this contract without express written consent of the purchasing agency.
- 12. <u>Successors in Interest</u>: The provisions of this agreement shall be binding upon and shall inure to the benefit of the parties hereto, and their respective successors and assigns.
- 13. <u>Receiving:</u> Deliveries must arrive at the designated destination(s) during normal business hours unless other shipping/receiving instructions are issued by NDDOT personnel. The contractor shall contact the NDDOT to schedule delivery dates and times at least 24 hours in advance of delivery.

All NDDOT offices will be closed in recognition of State holidays. Any day declared a holiday by the President or Governor will also be recognized by office closure.

14. <u>Service Representative.</u> The contractor must provide a dedicated customer service representative to provide support for this contract. The contractor shall notify the Procurement Officer in the event the representative is changed.

NAME:	Dwight Johnson		
(Name of pe	erson servicing this contract)		
BUSINESS NAME:	Great Plains Towers	s, Inc.	
MAILING ADDRESS	S: 126 Sixth Street W	est	
CITY & STATE:	West Fargo, ND	ZIP CODE: _	58078-1536
PHONE NUMBER:	701-282-2236	TOLL FREE:	800-853-2236
FAX NUMBER:	701-282-2148	E-MAIL:	info@greatplainstowers.com

(06-12-12)

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION SPECIFICATIONS FOR

CAMERA SITE MATERIALS

(Installation Not Included – Bid is Supply Only)

<u>Bidder's Instructions:</u> Indicate compliance to the specifications on the "COMPLY YES/NO" line by each specification. Indicate any deviations from the specifications whether the minimum specifications are met or not on the "SPECIFICATION DEVIATIONS" line. Failure to comply with bid specifications may result in rejection of the bid. The state reserves the right to waive minor deficiencies or technical variances.

1.	III	ımin	ator

The illuminator shall include the necessary cables, adapters, power supplies and mounting hardware required to operate the illuminator. The illuminator, mount and cables shall be standard production of the latest model with standard accessories and in addition meet or exceed the following minimum specifications:

			COM	IPLY	SPECIFICATION
			YES	NO	DEVIATIONS
a.	An	gle: 60°	and put American in Scows	етополинения	**************************************
b.	Ор	perating Temperature: -40°F to 120°F	***************************************	PROTECTION ACCORDANGEMENTS	
C.	En	closure/Housing: IP66- rated	MISSES AND COMMUNICATES AND AND COMMUNICATES AND COMMUNIC	AMPRICATIONAL	
d.	Ро	wer: Input – 24V AC	Balla Decisi de America do Balla que	promovement	
e.		wer Supply: The power supply shall have sufficient pacity to operate the illuminator from a dead start	Poster Dallanda Anna-		
f.	Illu	minator Distance:100m	SEAN-CARONIN-POLICE CONTINUES	Manuscone	
g.	illu	ount: All equipment required to mount supplied minator to either a wall or pole shall be provided. The se of installation will be specified at time of purchase		ACCESS A MANAGEMENT AND	
h.	Wa	arranty			
	1.	Three-year full warranty, Manufacturer's standard warranty shall apply if it is for a longer period	who much discussion and	SERVINESSIMANA	
	2.	The successful bidder or manufactures authorized service facility shall be fully responsible for any applicable delivery, pick-up, and (or) site visit costs associated with warranty work throughout the warranty period.	, —		
		nent shall be delivered free of any defects due to shippin with the bid.	ng or workmar	ship. Proc	duct literature should be
LUMIN	ATO	R MAKE:	MODEL:	************************	
		/ICE DEALER:	TELEDUONI	···	

2. Hinged Metal Pole

The Hinged Metal Pole design shall be in accordance with the AASHTO Standard Specification of Structural Supports for Highway Signs, Luminaries and Traffic Signals and the following:

		CON	IPLY	SPECIFICATION
		YES	NO	DEVIATIONS
a.	Shall withstand a wind velocity of 80 mph	X	WOODS AND ADDRESS	
b.	Shall withstand a dead load of 100 lbs. at top of pole	X.	Processory	
C.	Shall support a side load of 100 lbs. 5 ft from base of pole		MONHOLOGY CH-OMISSON	NOTIFICATION AND ADDRESS OF THE PROPERTY OF TH
d.	Service life shall be greater than 20 years	<u> </u>	#304mgc (wower solor) was	
e.	Fabricate from ASTM A572 high carbon steel. Provide a hot dipped galvanized finish.	X	ANNYAZHEONAVEIZHO	
f.	Fold-Over Assembly – Hinge point 10' from bottom of pole.	X	BURALPHI SANGALISECCI	
g.	Secured Winch	X	AND	-
h.	Pole base and access door with electrical grounding provisions for a No. 6 AWG conductor.	X BOOLEROOM-BARRADOUTING	Alle Annual Consult (April Consult)	
i.	Mounting plates for a pole mounted CCTV cabinet near the base of the pole. The Lower mounting bracket must be 3' from the base of the pole. (Mounting plate dimensions must accommodate mounts on the CCTV Pole Cabinet Drawing)	<u></u> x		
j.	3"X5" Hand hole with cover near bottom of the pole that will line up with the cable access hole located on the CCTV Cabinet. (See CCTV Pole Cabinet drawing for location)	<u>x</u>	**************************************	
k.	Two internal cable supports with hand-hole access.	X	Old Only Old Old Institution	
1.	Internal cable guides that keep all cables clear of winch assembly and control the bend radius at hinge point.	X	MENTALONINA	
m.	Lightning rod and mounting hardware.	X	exalelizarezzanom	
n.	Ground Rod Kit	X	MONANDAMANIA	
0.	Provisions for mounting a lightning rod bracket at three possible points on the pole. Each mounting is 90 degrees apart from the other beginning 90 degrees from cable exit.	X	name kovende e filozoficke ko	***************************************
p.	Cable exit portal near top of pole with cover plate.	X	Wastistan Andread Administrating State	
q.	Provisions for attaching a lightning ground conductor clamps to the side of the pole.	X .	WHET REPORT THE REAL PROPERTY AND ADDRESS.	
r.	A mast pole with a 2 3/8" outside diameter and a length of 5' at top of pole	X	with danklinds relatively to the	

-	1.	One-year full warranty, Manufacturer's standard warranty shall apply if it is for a longer period	X.	REPORTUGUENESCONOS DE LA CONTROL DE LA CONTRO	
	2.	The successful bidder or manufactures authorized service facility shall be fully responsible for any applicable delivery pick-up, and (or) site visit costs associated with warranty work throughout the warranty period.		· Carlo Andreado antiquado de la carlo de	
The ed	quipi ie bi	ment shall be delivered free of any defects due to shipping od.	r workmanship.	Product I	iterature should be submitted
POLE	MAI	KE: GPT	MODEL:	HMP	
PART	S/SE	ERVICE DEALER: GPT	TELEPHONE:_	701-	282-2236
Th	ne H	d Truss Tower inged Truss Tower design shall be in accordance with the A phway Signs, Luminaries and Traffic Signals and the followin	g:	rd Specifi 1 PLY	cation of Structural Supports SPECIFICATION
		Shall withstand a wind velocity of 80 mph with a maximum o square feet area of attached equipment.	YES	NO	DEVIATIONS
		1 side-rail leg shall be capable of supporting a vertical load of 8750 lbs.	of	₩7000 Addition of American	
		Fabricated from Aluminum 6061 T6 providing an anodized finish or fabricated from ASTM A572 high carbon steel providing a hot dipped galvanized finish.	with the latest and t	MINISTER COMPANIEN	
	d.	Fold-Over Assembly – Hinge point 10' from bottom of pole.	-	et and a third the designation as	
	e.	5' aluminum Mast above tower	MATURALIZATION	Workford Control State Square	
	f.	Secured winch	MATERIAL CONTROL CONTR	SECTION AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE	
		Shall include a hinged base footing assembly. The assembly shall include a hinge base set on a concrete leveling footing.		EGGSAASPAY SASAGOSS	
		Mounting plates for a pole mounted CCTV cabinet near the base of the pole. The Lower mounting bracket must be 3' fro the base of the pole. (Mounting plate dimensions must accommodate mounts on the CCTV Pole Cabinet Drawing).	om 		
:	i.	Lightning rod kit and mounting hardware.	***************************************	NAME OF THE PARTY	
j	j.	Ground rod kit	MODRADA-PLOMASHOOMAM	htterdischer state daminischer	
1		Shall accommodate a CCTV assembly and an IR illuminator top of pole.	at	***************************************	
I	l. '	Three 120" Anti climbing panels	REMINISTRATION OF THE PROPERTY	Motivatus action declarates topogr	

RFB 840-84-12-050, Camera Site Materials Page 9 of 17

s. Warranty

ľ	m. V	Varranty			
	1	. One-year full warranty, Manufacture's standard warrant shall apply if it is for a longer period.	у	MANUFACTURE CONTROL OF	-
	2	The successful bidder or manufactures authorized servifacility shall be fully responsible for any applicable delivipick-up, and (or) site visit costs associated with warrant work throughout the warranty period.	ery,		
		ripment shall be delivered free of any defects due to shippied with the bid.	ng or workma	nship. Prod	duct literature should be
FO	LD C	OVER TOWER MAKE:	_MODEL:	N CONTROL A ST. CONTROL CONTRO	
РА	RTS	/SERVICEDEALER:	_TELEPHONE	***	
The Depletion	e cab partm ng co y be	Pole Cabinet vinet assembly shall be listed by a National Recognized Tenent of Labor. The testing laboratory must be listed by OSH and total as required by this specification. A list of recognization found on the U.S. Department of Labor's web site: http://wors.org/linearing/	HA in its scope ed testing lab ww.osha.gov/	of recogn s for produ . A drawin	ition for the applicable tests cts sold in the United States g is attached displaying the
			COM	1PLY	SPECIFICATION
a.		inet must be in compliance with UL508 and UL50 dards	YES	NO	DEVIATIONS
h					
		nting Kit shall include the following:			
1	. Si	x stainless steel 3/8" – 16NC bolts, 5/8" length	Managarian (A.Copponi	decreases to harmon	
2		x stainless steel flat washers, 3/8" (not required if washer ead style bolts are used)	COLUMN CO		MICE TO STATE OF THE STATE OF T
3	. Si	x stainless steel lock washers, 3'8"	EXPERIMENTAL PROPERTY AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION ADMINISTRATION AND ADMINISTRATION AND ADMINISTRATION ADMINISTRATION ADMINISTRATION AND ADMINIS	#ATTHEWAY AND	
4	. Tv	vo neoprene mounting plate gaskets, 0.063" thick	**************************************	47374574704674574374	
5	. Or	ne neoprene access hole gasket, 0.25" thick	efectoraliza sociezana	****	
C.	Тор	of the cabinet shall be crowned approximately 0.5 inches	Ministrance in contract of the	NewScornalistancesconeral	
		net shall be fabricated from 0.125 inch, type 5052-H32 inum	4	anto-ron-communitarios	
	AWS	relding shall be gas tungsten arc welds that comply with \$ B3.0 and C5.6 for aluminum. Welds must be free of ks, blowholes, and other irregularities.	WARRIED SAMA	Market distinguishment	
f.	Cabi	net must have a clear-anodized finish inside and out.	MACOTOR STORY COMMISSION	NEW PROCESSOR AND ADDRESS OF THE PERSON AND	GANDERS CONTROL OF THE PROPERTY OF THE PROPERT
_	neop	cabinet door shall have a 6mm (0.25 inch) closed cell brene gasket providing a uniform seal and shall be nanently bonded to the door.	мунаниймическая метеральный селам	Market Control of the	

4.

h.	The door shall have at least two black powder coated die-cast zinc lift-off hinges. They shall be mounted so the door opens out to the right.	***************************************	**************************************	
i.	A stainless steel door handle shall be centered vertically on the door panel. Turning the key in the lock cannot interfere with gripping the handle. The handle shall be at least 102mm (4inches) long and capable of a working load of 5560 N (1250 lbs.)		codesimantur	
j.	A document holder shall be mounted on the lower portion of the inside of the door using threaded studs and locknuts.	manufacture particular and plants		
k.	The cabinet door shall be equipped with provisions for a padlock.	Manufacture and Company of the Compa	sticoloxidation-resolutions	
1.	The cabinet door lock shall be of brass construction with a cover that swings away freely. One key shall be supplied with each cabinet upon shipment.	Management	**************************************	
m.	A thermostatically controlled fan rated at minimum 30 CFM shall be installed to exhaust any heated air. The thermostat shall be a snap disc type rated at 85 degrees F.	Participa de l'estate de la constante de la co	MANDON WILLIAM PORTAGO	W. Mariana and A. Mar
n.	The exhaust air opening and external air inlet shall be large enough to allow sufficient air exchange per the rated fan capacity. Both openings shall be filtered and covered with shrouds on the outside. The external shrouds shall be nonrestrictive to airflow, louvered on the bottom and extend a minimum of one inch below the opening in the cabinet wall.		***************************************	
Ο.	Cabinet shall have two vertical equipment mounting flanges that are constructed, drilled and tapped according to the EIA-310-D Standard. Flanges shall be made of steel and must be cadmium or zinc plated. Brackets or fixtures made to support these shall be welded to the cabinet interior and provide for 4 inches of adjustment in depth from the front wall. The adjustments shall be in 0.50" increments.	and the second s		
p.	A 0.75 inch diameter drain hole fitted with a screened vent plug shall be installed in the bottom of the cabinet.	aprilantes en catalogo de la companya de la company	BANGALANCE ESCADAG.	***************************************
q.	Cabinet shall have an adjustable cover plate mounted over the cable access hole located in the lower back wall. The plate shall be capable of closing off any unused area of the opening when cables are installed as well as when cables are not installed. A cable protection material shall be applied to the cable opening edge. The plate shall be mounted using welded or pressed in place studs and stainless steel lock nuts with nylon type locking threads. The studs shall be 0.25 inch in diameter.			
r.	Four polymer spools shall be installed on the upper back wall of the cabinet. Each spool positioned 90 degrees apart, approximately 7 inches between each, with the first being placed 2.25 inches from the top center of the back wall. The spools cannot extend more than 2 inches of the wall.	- Andrewson - Andr	and the second second	
S.	An aluminum slide out shelf 0.063 inches thick shall be provided and mounted as low as possible on the EIA flanges.	BANAGE COMMENTAL DE LA COMMENT	орифиционального мях	Antimorni/Thi Oblinium strangunintsianana inakadanahalinikalinaka

		The shelf shall have a depth of 10.0 inches and support 50 lbs. of weight.			
t.	c	A fiber optic termination panel shall be mounted 10.00 inches down on the EIA mounting rails (Refer to Fiber Optic Fermination Panel bid item for product specifications).	and the property of the second	обезай масентини на гис	
u	p lo S fi	A Power distribution assembly shall be mounted on the lower portion of the cabinet back wall. All components shall be ocated on an aluminum panel that is no larger than 19.0" L X 0.0"W. The panel is mounted no more than 0.25 inches away from the back wall. A transit voltage surge suppressor that neets the following specifications must also be supplied:			
	1.	Provides both series and parallel protection.	entroplations make the	sazonenasnimornilans	
	2.	Provides all mode protection	Webstellers and the second se	asteriasse-to-co-nusseneral	WHAT AND A STATE OF THE STATE O
	3.	Rated at 15 Amps operating current.	**************************************	###NOVED #C#POMPHICARDON	***************************************
	4.	Response time is less than one-nanosecond.	Katondooleennoonooleen	Talantina con describer como	
	5.	Has active sine wave tracking circuitry for elimination of ring wave transients.	and the same of th	On announce of Continues and C	
	6.	Has an LED status indication that the unit is functional.	pursua seria de la compania del compania del compania de la compania del compania del compania de la compania de la compania del comp	dendrate former would be furnished in rest	
	7.	Uses an internal encapsulating compound that absorbs thermal stresses to ensure long life and environmental protection of the circuitry and components.	MOSTRACIONACIONAL	***************************************	
	8.	UL 94 flame rated for any plastics.		WHO THE PROPERTY OF THE PROPER	
	9.	UL 1449 Second Edition and CUL rated.	Bernet COLO MANAGEMENT	10.000 Marina	
	10.	Tested in accordance with ANSI/IEEE C62, 41-1991-IEEE Guide for Surge Voltages in Low-Voltage AC Power Circuits.	Bedreitstern von	EMPADAGE PARTECULAR AND POLICE	60.1 (C)
	11.	Unlimited 10 year free replacement warranty.	Action their control c	**************************************	
1.	Т	he following components must located on the panel			
	1.	One – 3 position AC service terminal block that accepts No. 4 AWG and smaller wires, designed for direct compression of the stripped bare wire.	#Allianapan daga balahka	STANSAGE STANSAGE	
	2.	One DIN rail assembly for mounting a 15 AMP circuit breaker, AC load distribution terminal blocks, fan thermostat and fuse holder.	NEGATION CONTRACTOR AND ADDRESS OF THE PARTY	gelanded Ministeriory	
	3.	One AC load distribution block assembly. The block accommodates one main wire in and up to four load wires out.	ANDPOSEGANOON	B illion to the following the second to the	
	4.	A quad receptacle box containing two duplex receptacles, one is a GFCI.	Ministratory	#*************************************	
	5.	One – 12 position AC ground bus that accommodates No. 6	MATERIA PROPERTICA DA CALLA DE	MINISTRALAGORISCO	***************************************

*	vv.	power strip. (Refer to Rack Mounted Outlet Strip bid item for product specifications.	
	Χ.	Warranty	
		One-year full warranty, Manufacturer's standard warrar shall apply if it is for a longer period	ranty
		 The successful bidder or manufactures authorized serve facility shall be fully responsible for any applicable delive pick-up, and (or) site visit costs associated with warrant work throughout the warranty period. 	elivery,
		quipment shall be delivered free of any defects due to shippin e bid.	ping or workmanship. Product literature should be submitte
CC	TV	POLE CABINET MAKE:	MODEL:
РА	RTS	S/SERVICE DEALER:	TELEPHONE:
5.		ack Mounted Fiber Optic Termination Panel ne 12 fiber termination panel shall meet the following requiren	ements: COMPLY SPECIFICATION YES NO DEVIATIONS
	a.	16-gauge steel construction with a black powder coat finish	sh
	b.	Standard recessed mounting brackets designed for EIA 19 racks.	9 inch
	C.	Dimensioned as 7.3 inches deep (8.30 from rail when mour in rack)	ounted
	d.	12 inches wide and 1.74 inches high.	
	e.	Accommodates 12 fiber pigtail to patch cord connections us two 6-port snap- in adapter plates loaded with metallic body FC/PC zirconia ceramic sleeved adapters.	
	f.	Contains a splice tray and accessories for protecting 12 spli	plices
	g.	Provisions for grommets for cable protection at entrance an exit panel.	and
	h.	Warranty	
		One-year full warranty, Manufacturer's standard warran shall apply if it is for a longer period	anty
		 The successful bidder or manufactures authorized servifacility shall be fully responsible for any applicable delivipick-up, and (or) site visit costs associated with warrant work throughout the warranty period. 	livery,

The equipment shall be delivered free of any defects due to shipping or workmanship. Product literature should be submitted

with the bid. RACK MOUNTED FIBER OPTIC TERMINATION PANEL MAKE: ______ MODEL: _____ PARTS/SERVICE DEALER:_____TELEPHONE:_____ 6. Rack Mounted Outlet Strip The rack mounted outlet strip shall meet the following requirements: COMPLY **SPECIFICATION** YES NO **DEVIATIONS** Recessed housing style power strip with six front facing outlets. Shall have a power switch with a "POWER ON" indicator. Shall have a self contained 15A circuit breaker. d. Shall have a three foot power cord. e. Shall have an internal surge protection with the following minimum ratings: 1. 720 joules 2. 330 volts, UL 1449 (500 amps) 3. <315 volts clamping level 4. <5 nanoseconds response time 5. Red LED surge indicator

f. Warranty

- 1. One-year full warranty, Manufacturer's standard warranty shall apply if it is for a longer period
- 2. The successful bidder or manufactures authorized service facility shall be fully responsible for any applicable delivery, pick-up, and (or) site visit costs associated with warranty work throughout the warranty period

The equipment shall be delivered free of any defects due to shipping or workmanship. Product literature should be submitted with the bid.

RACK MOUNTED OUTLET STRIP MAKE:	MODEL:
PARTS/SERVICE DEALER:	TELEPHONE:

BID RESPONSE

Purchase quantities may vary based on pricing to assemble a complete unit. Vendors are encouraged to bid all quantity breaks. Award will be based on the **11-15 EACH** Quantity.

The following item refers to section 1 of the specifications. Item No. 1: Illuminator	1-5 EA:	\$
	6-10 EA:	\$
	11-15 EA:	\$
	16-20 EA:	\$
	21 or Greater EA:	\$
The following item refers to section 2 of the specifications.		
Item No. 2: 30' Hinged metal Pole	1-5 EA:	\$ 2,900.00
	6-10 EA:	\$ 2,900.00
	11-15 EA:	\$ 2,800.00
	16-20 EA:	\$ 2,800.00
	21 or Greater EA:	\$ 2,700.00
The following item refers to section 2 of the specifications.		
Item No. 3: 40' Hinged metal Pole	1-5 EA:	\$ 3,900.00
	6-10 EA:	\$ 3,900.00
	11-15 EA:	\$ 3,800.00
	16-20 EA:	\$ 3,800.00
	21 or Greater EA:	\$ 3,700.00
The following item refers to section 2 of the specifications.		
Item No. 4: 50' Hinged Metal Pole	1-5 EA:	\$ 4,900.00
	6-10 EA:	\$ 4,900.00
	11-15 EA:	\$ 4,800.00
	16-20 EA:	\$ 4,800.00
	21 or Greater EA:	\$ 4,700.00
The following item refers to section 3 of the specifications.		
Item No. 5: 30' Hinged Truss Tower	1-5 EA:	\$
		end from the State Contract Co
	16-20 EA:	\$ 3100 200 100 100 100 100 100 100 100 100
	21 or Greater EA:	\$

The following item refers to section 4 of the specifications.		
Item No. 6: CCTV Pole Cabinet	1-5 EA:	\$
	6-10 EA:	\$
		\$
		\$
		\$
The following item refers to section 5 of the specifications.		
Item No. 7: Rack Mounted Fiber Optic Termination Panel	1-5 EA:	\$
		\$
		\$
	16-20 EA:	\$
	21 or Greater EA:	\$
The following item refers to section 6 of the specifications.		
Item No. 8: Rack Mounted Outlet Strip	1-5 EA:	\$
	6-10 EA:	
	11-15 EA:	\$
		\$
	21 or Greater EA:	\$
All items shall be delivered to the Bismarck District Radio Shop	(Bob Steckler).	
Radio Shop		
216 Airport Rd.		

Bismarck, ND 58504

Tel. # 701-328-6934

Bob Steckler

Tel. # 701-328-6935

BIDDER_

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION CIVIL RIGHTS APPENDIX

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the Contractor), agrees as follows:

- Compliance with Regulations: The Contractor shall comply with the regulations relative to nondiscrimination in federally-assisted programs of the Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this contract.
- 2. Nondiscrimination: The Contractor, with regard to the work performed by it during the contract, shall not discriminate on the grounds of race, color, national origin, sex, age, disability/handicap, or income status**, in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The Contractor shall not participate, either directly or indirectly, in the discrimination prohibited by Section 21.5 of the Regulations, including employment practices when the contract covers a program set forth in Appendix B of the Regulations.
- 3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment: In all solicitations, either by competitive bidding or negotiation, made by the Contractor for work to be performed under a subcontract, including procurements of materials or leases of equipment, each potential subcontractor or supplier shall be notified by the Contractor of the Contractor's obligations under this contract and the Regulations relative to nondiscrimination on the grounds of race, color, national origin, sex, age, disability/handicap, or income status.**
- 4. Information and Reports: The contractor shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information and its facilities as may be determined by the North Dakota Department of Transportation or the Federal Highway Administration to be pertinent to ascertain compliance with such Regulations, orders, and instructions. Where any information required of a Contractor is in the exclusive possession of another who fails or refuses to furnish this information, the Contractor shall so certify to the North Dakota Department of Transportation, or the Federal Highway Administration, as appropriate, and shall set forth what efforts it has made to obtain the information.
- 5. Sanctions for Noncompliance: In the event of the Contractor's noncompliance with the nondiscrimination provisions of this contract, the North Dakota Department of Transportation shall impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including but not limited to:
 - a. withholding of payments to the Contractor under the contract until the Contractor complies, and/or
 - b. cancellation, termination, or suspension of the contract, in whole or in part.
- 6. <u>Incorporation of Provisions</u>: The Contractor shall include the provisions of paragraphs 1 through 6 in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Regulations or directives issued pursuant thereto.

The Contractor shall take such action with respect to any subcontract or procurement as the North Dakota Department of Transportation or the Federal Highway Administration may direct as a means of enforcing such provisions, including sanctions for noncompliance provided, however, that in the event a Contractor becomes involved in, or is threatened with, litigation by a subcontractor or supplier as a result of such direction, the Contractor may request the North Dakota Department of Transportation to enter into such litigation to protect the interests of the State; and, in addition, the Contractor may request the United States to enter into such litigation to protect the interests of the United States.

**The Act governs race, color, and national origin. Related Nondiscrimination Authorities govern sex, 23 U.S.C. 324; age, 42 U.S.C. 6101; disability/handicap, 29 U.S.C. 790; and low income, E.O. 12898.

NDD95

Sortin Dakota
Department of Transportation

North Dakota Department of Transportation AMENDMENT TO CONTRACT NO. 50121101 Project No.


THIS AMENDMENT to the above-referenced contract is entered into by and between the State of North Dakota, acting through its Director of Transportation, hereinafter known as NDDOT, whose address is 608 East Boulevard Avenue, Bismarck, North Dakota 58505-0700, and Great Plains Towers, Inc., hereinafter known as the Contractor, whose address is 126 Sixth Street West, West Fargo, ND 58078-1536.

WHEREAS, the parties entered into a contract on July 20, 2012; and

WHEREAS, the contractor has performed satisfactorily under the terms of the contract; and

WHEREAS, the contractor has expressed a willingness to extend the term of the above referenced contract for an additional twelve (12) month period; and

NOW THEREFORE, the Contractor and NDDOT agree that the term of the contract is extended through June 30, 2014.





All other terms and conditions of the above-referenced contract are incorporated herein by reference and remain in full force and effect.

EXECUTED the date last below signed.

WITNESS:	CONTRACTOR:
To be signed by Owner; Partner; Corp. Pres., Vice Pres., or other authorized Corp. Officer. (If signed by other authorized Corp. Officer, please attach copy of Power of Attorney or other documentation showing authority to sign.)	COMPANY NAME OFFICER'S NAME (TYPE OR PRIME) SIGNATURE DATE
WITNESS: Sondra Goebel NAME (TYPE OR PRINT) SIGNATURE WITNESS: Sondra Goebel NAME (TYPE OR PRINT) SIGNATURE	NORTH DAKOTA DEPARTMENT OF TRANSPORTATION Grant Levi DIRECTOR(TYPE OR PRINT) SIGNATURE APPROVED as to substance by: BRAD DARR DIVISION DIRECTOR (TYPE OR PRINT) SIGNATURE 5/22/13
	DATE

CLA 52494 (Div. 06) L.D. Approved 5-19-00; 5-03



APPROVED as to execution this day of 100 2013
ATTORNEY GENERAL
By SPECIAL ASSITATIORNEY GENERAL