

North Dakota Department of Transportation
INVITATION TO BID

NDDOT Contract # 50200150

Bid Number: 345-79-20-050-2	Bid Opening Date & Time: May 19, 2020; 2:00 pm CST
Items: Vests, Survey	Buyer: Sean Lackner
Bid Mailing Address: 608 East Boulevard Ave	Telephone Number: (701) 328-2571
City, State, Zip: Bismarck, ND 58505	Email: selackner@nd.gov
Contract Period: 06/01/2020 TO 05/31/2021	Date Prepared: 04/21/2020

BID RESPONSE

Please submit your bid response on the attached forms in conformance with the instructions and specifications in the NDAC 04-12-01 – 04-12-16. One copy of your bid response must be returned to the North Dakota Department of Transportation (NDDOT) prior to the time and date specified for the bid opening. Bid responses received after the time and day specified for the bid opening will be rejected. Mark envelope with word "BID" and the opening time and date. **If your bid response is accepted by NDDOT, then your bid response will constitute a binding contract.**

CONTRACT


This contract is made and entered into by and between NDDOT for the state of North Dakota (hereinafter state) and

Vendor Name <u>Graininger</u>	Vendor Address <u>3825 12th Ave N. Fargo, ND 58102</u>
----------------------------------	--

(hereinafter vendor). In consideration of and for the acceptance by the state of the offer made by the vendor pursuant to the bid response, the vendor agrees and promises to sell, furnish, and deliver to the state, at the time, places, and prices specified in the bid response, all goods, merchandise, supplies, commodities, equipment, or other items contained in the bid response and for which the vendor has been awarded this contract by the state. The vendor shall fully perform this contract in accordance with the terms and conditions contained in the bid response including all specifications, rules, or regulations mentioned therein, and shall comply with all applicable provisions of the NDAC 04-12-01 – 04-12-16 promulgated by the State Purchasing Division; such manual being made a part of this contract by reference. The Risk Management Appendix and Appendices A and E of the Title VI Assurances, attached, are hereby incorporated into and made a part of this agreement.

The following must be completed by the vendor; failure to do so may result in the rejection of the vendors bid proposal.

Vendor Name <u>Graininger</u>		
Mailing Address <u>3825 12th Ave N. Fargo, ND 58102</u>		
Telephone Number <u>701-371-8945</u>	Fax Number	E-mail Address <u>Mark.Christianson@graininger.com</u>

Name & Title (Type or Print)
MARK CHRISTIANSON Government Account Mgr
 Signature

 Date
May 15, 2020

To be signed by Owner; Partner; Corp. Pres., Vice Pres., or other authorized Corp. Officer or bid may be rejected. (if signed by other authorized Corp. Officer, please attach copy of Power of Attorney or other documentation showing authority to sign.)

FOR ND DEPARTMENT OF TRANSPORTATION USE ONLY Accepted by the state according to provisions of award.

Authorized Signature 	Date <u>6/18/2020</u>
Recommended for approval <u>Brad</u>	Date <u>6-12-2020</u>
	Approximate contract amount \$



APPROVED as to execution this
16th day of June 2020
 ATTORNEY GENERAL
 By [Signature]
 SPECIAL ASST. ATTORNEY GENERAL



CLA 7480 (Div. 50)

**NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
APPENDIX A OF THE TITLE VI ASSURANCES**

During the performance of this contract, the Contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the Contractor) agrees as follows:

1. **Compliance with Regulations:** The Contractor (hereinafter includes consultants) will comply with the Acts and the Regulations relative to Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, the Federal Highway Administration, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
2. **Non-discrimination:** The Contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The Contractor will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
3. **Solicitations for Subcontracts, Including Procurements of Materials and Equipment:** In all solicitations, either by competitive bidding, or negotiation made by the Contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the Contractor of the Contractor's obligations under this contract and the Acts and the Regulations relative to Non-discrimination on the grounds of race, color, or national origin.
4. **Information and Reports:** The Contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the Federal Highway Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a Contractor is in the exclusive possession of another who fails or refuses to furnish the information, the Contractor will so certify to the Recipient or the Federal Highway Administration as appropriate, and will set forth what efforts it has made to obtain the information.
5. **Sanctions for Noncompliance:** In the event of a contractor's noncompliance with the Nondiscrimination provisions of this contract, the Recipient will impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - a. withholding payments to the Contractor under the contract until the Contractor complies; and/or
 - b. cancelling, terminating, or suspending a contract, in whole or in part.
6. **Incorporation of Provisions:** The Contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The Contractor will take action with respect to any subcontract or procurement as the Recipient or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the Contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the Contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the Contractor may request the United States to enter into the litigation to protect the interests of the United States.



**NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
APPENDIX E OF THE TITLE VI ASSURANCES**

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the Contractor) agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Pertinent Non-Discrimination Authorities:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d *et seq.*, 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 *et seq.*), (prohibits discrimination on the basis of sex);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 *et seq.*), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 *et seq.*), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.P.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 *et seq.*).



MAILING INSTRUCTIONS

Mail only one completed and signed request for bid document per envelope, unless instructed otherwise. Request for bid documents not signed or received after the date and time specified in the request for bid will be rejected.

BID IS: SEALED NOT SEALED

Address the envelope containing your response in the following manner:

BID NUMBER – 345-79-20-050-2
BID OPENING DATE/TIME – May 19, 2020; 2:00 pm CST
N. D. DEPT. OF TRANSPORTATION
PROCUREMENT SECTION
608 E BOULEVARD AVE
BISMARCK ND 58505-0700

BIDDERS INSTRUCTIONS

1. **Additional Terms and Conditions.** Additional terms and conditions submitted with a bid response are of no effect unless accepted in writing by the Purchasing Agency. Bids with additional terms and conditions may be rejected as non-responsive. (N.D.A.C. § 4-12-11-06)
2. **Assistance to Bidders with a Disability.** Bidders with a disability and/or language assistance, contact Civil Rights Division, NDDOT, 701-328-2978 or civilrights@nd.gov or TTY 711, as soon as possible so that reasonable accommodations can be made. Additionally, the Request for Reasonable Accommodations form (SFN 60135) can be accessed at the following NDDOT website location: <http://www.dot.nd.gov/forms/sfn60135.pdf>.
3. **Award.** Award will be made to a responsive, responsible bidder with the lowest price considering conformity with specifications, terms of delivery, quality, and serviceability. NDDOT reserves the right to consider bids varying in minor respects from any specific requirements herein, but judged to meet the intent of this request. Bidders interested only in the total low bid for all items are to state 'all or nothing' on their bid response. Award will be made as follows:
 - Split award per group
4. **Award – Tie Bid Preference.** After applying any reciprocal preference, if a tie occurs between two or more bidders with equal bid prices or offerors with identical evaluation scores:
 - Preference must first be given to bids submitted by resident North Dakota vendors.
 - If a tie remains, preference is given to approved vendors on the Bidders List.
 - If a tie still remains, award shall be made in accordance with N.D.A.C. § 4-12-11-05.
5. **Bid Bond.** Waived in this instance: however, bidder(s) failing to enter into a contract with this office, upon notification of award, may be subject to removal from the bidder's list.
6. **Bid Held Firm.** Bids are not awarded at the bid opening. Bid responses will be firm for 30 days, unless stated otherwise.
7. **Bid Opening.** All sealed bids received by the NDDOT Procurement Office will be opened and read at 608 East Boulevard Avenue, Bismarck, North Dakota, at the time specified in the solicitation. **Due to Covid 19 issues there will not be a public bid opening.**
8. **Bid Summary.** Bid summaries are available when the bid has been awarded. When bids are issued using the State's electronic bidding system, the bid summary will be posted and available for download from: <https://www.nd.gov/omb/vendor>.

Bid summaries will be mailed to those bidders who supply a self-addressed, stamped envelope with their bid response. A copy of the bid summary may also be obtained by visiting the NDDOT Procurement Office during normal working hours.

9. **Bidder Checklist.** HAVE YOU REMEMBERED TO:
- Review all instructions, terms and conditions, and specifications to ensure your bid response complies?
 - Prepare your price in the specified unit of measure, F.O.B. Destination, Freight Prepaid to the delivery location listed on the cover sheet?
 - Indicate whether you can meet the delivery date indicated on the cover sheet?
 - Sign your bid response on the cover sheet?
 - Initial all changes and corrections?
 - Submit any required samples or enclosures, if applicable?
 - Mark the envelope as indicated above?
 - Review and complete all requirements contained in this solicitation to ensure compliance.

10. **Clarifications, Bid Changes and Questions Deadline.** The Procurement Officer is the point of contact. Any irregularities, lack of clarity, requested bid changes and all questions regarding this bid and the procurement process must be addressed to the Procurement Officer referenced on the first page of this document not later than end of business April 28, 2020. (Contact information is indicated on cover page). If a bid amendment is required, it will generally be issued after this date.

The bidder is cautioned that the requirement of this solicitation can be altered only by written amendments and that verbal communications from whatever source are of no effect.

11. **Corrections.** The bidder's authorized representative must initial any corrections and alterations (i.e. erasures, whiteouts, correction tape, etc.) made to the bid response. Those bid responses with corrections and alterations that are not initialed are subject to confirmation by the Procurement Officer.
12. **Definitions.**
- Bidder - any person or firm submitting a competitive bid in response to a solicitation.
 - Bid summary - a summary of all bid responses received by the NDDOT Procurement Office.
 - Bid response - the executed document submitted by a bidder in response to a solicitation.
 - Contract - a deliberate written agreement between two or more competent persons to perform specific act or acts.
 - Contractor - any person or firm having a contract with a governmental body.
 - Solicitation - the process of notifying prospective bidders that the State wishes to receive bids for furnishing goods or services.
13. **Freight/F.O.B. Destination.** Freight and transportation charges are to be included in the price of the products, unless otherwise specified in the solicitation. (F.O.B. - Free On Board).
14. **Indemnification.** Bidders must review the attached Risk Management Appendix for indemnification and insurance requirements. The indemnification and insurance provisions are incorporated and made part of this solicitation and the resultant final contract. Objections to any of the provisions of the indemnification and insurance requirements must be made in writing to the attention of the Procurement Officer by the time and date set for receipt of questions. No alteration of these provisions will be permitted without prior written approval from the Purchasing Agency or Entity in consultation with the North Dakota Risk Management Division. Upon receipt of the Notice of Award, the successful bidder must obtain the required insurance coverage and provide the Procurement Officer with proof of coverage prior to contract approval. The coverage must be satisfactory to the Purchasing Agency or Entity, in consultation with the North Dakota Risk Management Division. A bidder's failure to provide evidence of insurance coverage is a material breach and grounds for withdrawal of the award or termination of the contract.
15. **Late Bids.** It is the bidder's responsibility to ensure that a bid response is physically deposited with the NDDOT Procurement Office prior to the date and time specified for the opening. Late bids will be rejected, regardless of the degree of lateness, unless the delay is due to the error of the Purchasing Agency and discovered before the selection of the successful bidder.

16. **Minor Informalities.** The State reserves the right to waive minor informalities in bid responses in accordance with N.D.A.C. 4-12-10. Minor informalities are insignificant omissions or nonjudgmental mistakes that are matters of form rather than substance, evident from the bid document, with a negligible effect on price, quantity, quality, delivery, or contractual conditions that can be waived or corrected without prejudice to other bidders.
17. **Multiple Bid(s).** Bidders may submit more than one bid response(s) for the item(s) specified in the solicitation. Each bid submitted must comply in all aspects with the bid requirements and these instructions.
18. **Negotiation.** NDDOT reserves the right to negotiate with the successful bidder to ensure the best possible consideration is afforded to all concerned.
19. **New Equipment and Materials.** Unless otherwise indicated in the detailed specifications of this solicitation, all equipment and materials shall be new and under current production for use in the United States.
20. **Open Records Requests.** Bid responses are exempt records until the date and time of the bid opening. After the bid opening, all bid responses are subject to North Dakota open records laws. Interested parties may contact the Procurement Officer to request information related to this solicitation.
21. **Packaging.** All shipments are to be packaged according to accepted commercial practices to avoid damage in shipment.
22. **Performance Bond.** Successful bidders will not be required to furnish a performance bond; however, failure to perform satisfactorily will result in the immediate termination of the contract(s) and bidders may be subject to removal from the bidder's list.
23. **Preparation of Bid.** Bids will be accepted on NDDOT forms only. If the document is located on the State Procurement Office website, then bidder is to download the document and type or write their responses as indicated by the bid document. Alteration of the bid document may be cause for bid rejection. Bidders are cautioned to examine specifications and all instructions. Failure to do so will be at the bidder's risk.
24. **Pricing.** Unit prices are to be stated in United States currency and based on the unit of measurement specified in the solicitation, F.O.B. Destination, to the NDDOT delivery locations specified herein.

In the event of mathematical differences between the unit price and extended total, the unit price will prevail.

25. **Protests.** Protests of the solicitation must be received by the Procurement Officer within seven days before the bid closing deadline. Protests of the award or Notice of Intent to Award must be received by the Procurement Officer within seven days after receiving notice of award. Seven calendar days after award or issuance of the Notice of Intent to Award it will be assumed that all interested parties knew or should have known all the facts surrounding the award. Protests must be made in writing to the Procurement Officer and include the basis for the protest. (N.D.C.C. § 54-44.4-12; N.D.A.C. § 4-12-14.)
26. **Rejection.** Bid responses may be rejected if:
 - The bid response is not legible.
 - The bid response is not completed as requested.
 - The bid response is faxed to the procurement office.
 - The bid response is not responsive to the specifications or other requirements of the solicitation.
 - The bid response is received after the time and date specified.
 - The bidder has not met Vendor Registration requirements or is suspended or debarred.
 - The bid document has been altered by the bidder.
 - The bidder is determined to be not responsible (N.D.A.C. 4-12-11-04).

If all bids are rejected, the Procurement Officer will send written notice to bidders, including the reason all bids were rejected.

27. **Signature.** The bid must be signed manually in ink. The name and title of the person signing the bid response must be typed or printed above the signature. The bid must be signed by Owner, Partner, Corp. Pres., Vice Pres., or other authorized Corp. Officer or the bid may be rejected. If signed by other authorized Corp. Officer or representative, please attach a letter signed by the Owner, Partner, Corp. Pres., or Vice Pres. indicating the individual has authority to enter into a contract on behalf of the company (or a Power of Attorney).
28. **Specifications, Brand Name or Equivalent.** Unless otherwise indicated in the detailed specifications of this solicitation, the use of a specific brand name or make/model is for illustrative purposes only, and the State will consider equivalent products. If a commodity or service put forth by a bidder is rejected as not being equivalent, the Procurement Officer will notify the bidder of the rejection.
29. **Specifications, Compliance.** All bid responses must comply with the specifications contained herein, and the successful bidder will be held responsible. Noncompliance with specifications is grounds for rejection of the bid response. Bidders who desire to submit commodities or services that deviate from these specifications or have any objections to the specifications stated herein must be clearly pointed out PRIOR TO THE DEADLINE FOR RECEIPT OF QUESTIONS; otherwise, it will be considered that the items offered are in strict compliance with these specifications, and the bidder will be held responsible.
30. **Supplemental Terms and Conditions.** Bids including supplemental terms and conditions will be accepted, but supplemental conditions that conflict with any conditions contained in this ITB or that diminish the State's rights will be considered null and void. The State is not responsible for identifying conflicting supplemental terms and conditions before issuing a contract award.

After award of contract:

- a) If a conflict arises between a supplemental term or condition included in the bid and a term or condition of the ITB, the term or condition of the ITB will prevail, and,
- b) If the State's rights would be diminished as a result of application of a supplemental term or condition included in the bid, the supplemental term or condition will be considered null and void.

Changes, modifications, additions, or alterations to the bid document could be cause for rejection of the submitted bid at the sole discretion of the NDDOT. Contact the Procurement Officer in writing prior to the deadline for clarifications.

31. **Taxes.** The State does not pay sales tax or federal excise tax. The state sales tax exemption number is E-2001. The federal tax-free transaction number is 45-70-0010K. The Purchasing Agency will furnish a tax exempt certificate upon request.
32. **Vendor Registration.** Bids will be accepted from bidders who are not currently Approved Bidders for the State of North Dakota; however, the successful bidder may be required to become approved prior to award, in accordance with N.D.C.C. 54-44.4-09. To become an Approved Bidder, you must: 1) register with the North Dakota Secretary of State (fees apply), and 2) submit a completed Bidder List Application to the ND State Procurement Office. Registration instructions and forms are available on-line at: www.nd.gov/spo/vendor. Contact the ND State Procurement Office at 701-328-2683 or infospo@nd.gov for assistance.

Placement on the bidders list does not guarantee a bidder will receive notice of every formal solicitation. Bidders must maintain current information by submitting a Notice of Change form to the State Procurement Office (Fax 701-328-1615). Visit the website for forms: www.nd.gov/spo/vendor.

33. **Withdrawal or changes to a bid response prior to the bid opening date and time.** A bidder may withdraw or make a change to his bid response prior to the bid opening date and time. The request to make a change or withdraw must be in writing by a representative of the firm. The request to withdraw or change must be signed by the bidder or his designated representatives.
34. **Withdrawals after the bid opening date and time.** After the bid opening, no changes may be made to the bid response. The bidder may make a written request to withdraw the bid response, subject to approval by the NDDOT Procurement Office. Vendors continually withdrawing bids after the bid opening may be removed from the Vendor Database.

GENERAL CONTRACT TERMS AND CONDITIONS

1. **Affirmative Action.** The contractor will take affirmative action in complying with all Federal and State requirements concerning fair employment and employment of individuals with disabilities, and concerning the treatment of all employees without regard to discrimination by reason of race, color, religion, sex, national origin, or disability.
2. **Applicable Law and Venue.** Any dispute arising out of this agreement will be resolved under the laws of the State of North Dakota.
3. **Billing and Payment Procedures.** Purchase orders will be issued by NDDOT procurement office or district offices to the awarded contractor.

Invoices are to be submitted as indicated on the purchase orders unless otherwise instructed. Failure to submit correct invoices to the appropriate NDDOT office may delay contractor payment.

Payment will normally be made within thirty days after delivery and acceptance of commodities or services under this contract and receipt of a correct invoice. All invoice and payment inquiries must be directed to the purchasing agency.

4. **Binding Contract.** The acceptance of a bid response in writing by the purchasing agency constitutes a contract between the bidder and the State. Written acceptance from the purchasing agency will be in the form of a purchase order, notification of award, or contract. Any oral agreement or arrangement by a bidder with a State employee or purchasing agency will have no force or effect unless reduced to writing.
5. **Compliance with Laws.** The contractor must, in performance of work under this contract, fully comply with all applicable federal, state or local laws, rules, regulations and policies, including those relating to nondiscrimination, affirmative action, accessibility and civil rights including Title VI of the Civil Rights Act of 1964. The contractor agrees to file all required reports on time, to make required payroll deductions, and to pay all taxes and premiums owed on time, including sales and use taxes and unemployment compensation and workers' compensation premiums. The contractor shall have and keep current at all times during the term of this contract all licenses and permits required by law.
6. **Contract Amendments, Waivers.** After a binding contract has been entered into, no changes (i.e. additions, substitutions, subcontracting or a price adjustment) may be made, unless prior approval has been obtained from the purchasing agency and Procurement Officer.

The terms of this contract shall not be waived, altered, modified, supplemented, or amended, in any manner whatsoever, except by written instrument signed by the parties. No waiver consent, modification or change of terms of this agreement shall bind either party unless in writing and signed by both parties. Such waiver, consent, modification, or change, if made shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements, or representations, oral or written, not specified herein regarding this agreement.

7. **Contract Price Adjustment.** The Contract Unit Prices shall be firm for the twelve (12) months of the contract period. On an annual basis, all unit prices may be subject to price adjustment (increase / decrease). The request for a price adjustment shall be submitted to the Procurement Office at least forty five (45) days before the scheduled contract expiration date and **must include justification** for the proposed change. The Procurement Officer will respond as follows:
 1. The request may be granted,
 2. The contract may be cancelled and solicitation may be re-advertised, or
 3. The contract may be continued without change.

If a price increase is approved by the NDDOT, the date the increase will be effective along with the new unit prices will be included in an amendment document. Approval of any price increase renews the twelve month firm price period.

The State shall also be advised of and receive the benefit of any price decrease. The same notification and review process will apply to a decrease in cost.

8. **Contract Term and Renewal Option.** The NDDOT will enter into a contract with an effective date beginning June 1, 2020, and ending May 31, 2021, inclusive. This contract may be renewed upon satisfactory completion of the initial contract term. The NDDOT reserves the right to execute up to two options to renew this contract for a period of twelve (12) months each, not to exceed thirty-six (36) months total. Renewals will be documented by amendment.

The NDDOT reserves the right to renegotiate price and terms provided that such negotiated price and terms fall within the original scope of work for this bid. Negotiations may be conducted annually or at such times that additional and unexpected services falling within the scope of the contract may occur. Such changes will be documented by amendment to the contract.

9. **Contract Termination.**

- a. **Termination without Cause.** This contract may be terminated by mutual consent of both parties, or by either party upon 30 days' written notice.
- b. **Termination for Lack of Funding or Authority.** The State may terminate this contract effective upon delivery of written notice to the contractor, or on any later date stated in the notice, under any of the following conditions:
- i. If funding from federal, state, or other sources is not obtained and continued at levels sufficient to allow for purchase of the services or supplies in the indicated quantities or term. The contract may be modified by agreement of the parties in writing to accommodate a reduction in funds.
 - ii. If federal or state regulations or guidelines are modified, changed or interpreted in such a way that the services are no longer allowable or appropriate for purchase under this contract or are no longer eligible for the funding proposed for payments authorized by this contract.
 - iii. If any license or certificate required by law or regulation to be held by the contractor to provide the services required by the contract is for any reason denied, revoked or not renewed.

Any such termination of this contract under (i), (ii), or (iii), above, shall be without prejudice to any obligations or liabilities of either party already accrued prior to such termination.

- c. **Termination for Cause.** The State by written notice to the contractor may terminate the whole or any part of this contract:
- i. If the contractor fails to provide services required by this contract within the time specified herein or any extension thereof; or
 - ii. If the contractor fails to perform any of the other provisions of this contract, or so fails to pursue the work as to endanger performance of this contract in accordance with its terms and after receipt of written notice from the State, fails to correct such failures within ten days or such longer period as NDDOT may authorize.
 - iii. The rights and remedies of the State provided in the above clause related to defaults by the contractor are not exclusive and are in addition to any other rights and remedies provided by law or under this contract.
- d. **Termination, Deliveries.** If the contract is terminated for any reason, the contractor is responsible for delivery of all commodities and services ordered prior to the termination, unless those orders had been canceled by the Purchasing Agency or Entity.

10. **Inspection and Investigations.** The State reserves the right to conduct inspections and investigations related to the bidder and the offered commodities or services, including but not limited to the firm, personnel, qualifications, and the commodities and services offered to make determinations regarding compliance with the bid requirements and responsibility of the bidder. All material and workmanship are subject to inspection and testing by the State at the point of manufacturer, place of storage, or upon receipt. The State re02/21/serves the right to reject any commodities or services and terminate the contract if the Contractor fails to comply with the specifications, terms and conditions, or the seller's express or implied warranties. Rejected commodities will be removed at the Contractor's expense. Failure to satisfactorily perform may result in suspension or debarment from the Bidders List.

11. **Materials and Workmanship.** All material and workmanship shall be subject to inspection and testing at the discretion of the purchasing agency either at the point of manufacturer, place of storage, or upon receipt.
12. **Receiving.** Deliveries must arrive at the designated destination(s) during normal business hours unless other shipping/receiving instructions are issued by NDDOT personnel. The contractor shall contact the NDDOT to schedule delivery dates and times at least 24 hours in advance of delivery.

All NDDOT offices will be closed in recognition of State holidays. Any day declared a holiday by the President or Governor will also be recognized by office closure.

13. **Subcontracts, Assignment.** The contractor shall not subcontract, assign or transfer the contractor's interests or duties under this contract without express written consent of the purchasing agency. However, the contractor may enter into subcontracts provided that any such subcontractor acknowledges the binding nature of this contract and incorporates this contract, including any attachments. The contractor is solely responsible for the performance of any subcontractor. The contractor shall not have the authority to contract for or incur obligations on behalf of the State.
14. **Successors in Interest.** The provisions of this agreement shall be binding upon and shall inure to the benefit of the parties hereto, and their respective successors and assigns.
15. **Service Representative.** The contractor must provide a dedicated customer service representative to provide support for this contract. The contractor shall notify the Procurement Officer in the event the representative is changed.

NAME: Thomas Gimena
(Name of person servicing this contract)

BUSINESS NAME: W.W. Grainger, Inc.

MAILING ADDRESS: 100 Grainger Parkway

CITY & STATE: Lake Forest, IL ZIP CODE: 60045

PHONE NUMBER: (800) 472-4643 TOLL FREE: (800) 472-4643

FAX NUMBER: (847) 535-9243 E-MAIL: CustomerSupport@grainger.com

**NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
SPECIFICATIONS
FOR GROUP 01
STANDARD SAFETY VEST
(NDDOT Approval will be Required)**

Bidder's Instructions: Indicate compliance to the specifications on the "COMPLY YES/NO" line by each specification. Indicate any deviations from the specifications whether the minimum specifications are met or not on the "SPECIFICATION REMARKS" line. Failure to comply with bid specifications may result in rejection of the bid.

This specification is intended to describe a Class 3 reflective safety vest for use by the North Dakota Department of Transportation (NDDOT). The safety vest must be constructed of durable material and meet the minimum requirements of this specification. The safety vest shall be current production of the latest model.

		COMPLY		SPECIFICATIONS
		YES	NO	REMARKS
1. VEST MATERIAL				
a.	The safety vest shall be constructed from safety (Hi-Vis) lime-yellow ANSI compliant breathable mesh fabric.	Yes	_____	_____
b.	The mesh fabric shall have a minimum weight of 3oz/yd ² .	Yes	_____	<u>3.5 oz/yd²</u>
2. REFLECTIVE/HIGH VISIBILITY MATERIAL				
a.	Two-tone silver/orange strips for day and night visibility. The two-tone strip shall consist of 2" wide reflective silver fabric with 1" wide orange grosgrain material on each side of the reflective silver fabric. The reflective material shall be 3M Scotchlite Reflective Material, Product No. 8925 or equivalent, silver fabric. All reflective material must meet Type R ANSI requirements. NO EXCEPTIONS	Yes	_____	_____
(i)	A 2" wide strip of reflective silver fabric shall be sewn or RF welded securely to a 4" wide strip of orange grosgrain material to create the two-tone strip then sewn or RF welded securely to the vest.	Yes	_____	_____
(ii)	A strip shall be placed over each shoulder of the vest (in front and back) and extend to a strip sewn 360° around the lower portion of the vest.	Yes	_____	_____
(iii)	The bottom of the 360° strip shall be at least 2" above the bottom of the vest.	Yes	_____	_____
(iv)	The amount of reflective material on the vest shall be adequate to meet <u>Class 3 Type R requirements.</u>	Yes	_____	<u>See Spec Documents and CoC</u>

8. SAFETY STANDARDS

**COMPLY
YES NO**

**SPECIFICATIONS
REMARKS**

a. The safety vest shall meet the requirements of **Class 3 Type R ANSI/ISEA 107-2015** including all color, performance and care label requirements.

Yes _____

b. **THE SUPPLIER SHALL FURNISH CERTIFICATIONS FOR THE BACKGROUND MATERIAL and REFLECTIVE MATERIAL**

Yes _____

See Spec Documents and CoC

The award will be based on specification compliance, and low bid to furnish and deliver the safety vests to all DOT district locations. (See attached listing)

Warranty:

Manufacturer's standard one-year full warranty. If manufacturer's standard warranty is for a longer period, it shall apply.

**NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
SPECIFICATIONS
FOR GROUP 02
SURVEYOR SAFETY VEST
(NDDOT Approval will be Required)**

Bidder's Instructions: Indicate compliance to the specifications on the "COMPLY YES/NO" line by each specification. Indicate any deviations from the specifications whether the minimum specifications are met or not on the "SPECIFICATION REMARKS" line. Failure to comply with bid specifications may result in rejection of the bid.

This specification is intended to describe a Class 3 reflective safety vest for use by surveyors of the North Dakota Department of Transportation (NDDOT). The surveyor safety vest must be constructed of durable material and meet the minimum requirements of this specification. The surveyor safety vest shall be current production of the latest model.

		COMPLY YES	NO	SPECIFICATIONS REMARKS
1. VEST MATERIAL				
a.	The material on the front of the surveyor safety vest shall be safety (Hi-Vis) lime-yellow ANSI compliant cloth fabric. The fabric shall have a minimum weight of 5.5oz/yd ² , 100% solid woven polyester cloth fabric.	_____	No	3.5 oz/yd ²
b.	The material on the backside of the surveyor safety vest shall be safety (Hi-Vis) lime-yellow ANSI compliant breathable mesh fabric. The mesh fabric shall have a minimum weight of 3oz/yd ² .	Yes	_____	3.5 oz/yd ²
2. REFLECTIVE/HIGH VISIBILITY MATERIAL				
a.	Two-tone silver/orange strips for day and night visibility. The two-tone strip shall consist of 2" wide reflective silver fabric with 1" wide orange grosgrain material on each side of the reflective silver fabric. The reflective material shall be 3M Scotchlite Reflective Material, Product No. 8925 or equivalent, silver fabric. All reflective material must meet Type R ANSI requirements. NO EXCEPTIONS	Yes	_____	_____
(i)	A 2" wide strip of reflective silver fabric shall be sewn or RF welded securely to a 4" wide strip of orange grosgrain material to create the two-tone strip then sewn or RF welded securely to the vest.	Yes	_____	_____
(ii)	A strip shall be placed over each shoulder of the vest (in front and back) and a strip 360° around the lower portion of the vest.	Yes	_____	_____
(iii)	The bottom of the 360° strip shall be at least 2" above the bottom of the vest.	Yes	_____	_____
(iv)	The amount of reflective material on the vest shall be adequate to meet <u>Class 3 Type R requirements.</u>	Yes	_____	See Spec Documents and CoC

3. BINDING	COMPLY		SPECIFICATIONS
	YES	NO	REMARKS
a. All edges shall be bound and sewn with a single stitched durable cloth binding yellow, orange or black in color. It is preferred the binding be the same color as the background material and the stitching be the same color as the material being sewn.	Yes		
b. In the sewing process of the binding, the cloth binding shall be folded to create a smooth edge on all sides and edges of the safety vest. Plastic type bindings or borders are not acceptable.	Yes		
c. When sewing the reflective tape, pockets or bindings a lock stitch shall be used. The stitch count shall be no less than 6 or more than 12 stitches per inch.	Yes		
4. CONSTRUCTION			
a. The surveyor safety vest shall be V-neck style and shall be made from two (2) single pieces of polyester cloth fabric for the front panels and a single piece of mesh fabric for the back panel.	Yes		Meets Spec and Amendment
b. A 12" nonconductive zipper that is yellow, orange or black in color shall be sewn vertical on the front center of the vest for front closure. It is preferred the zipper color be the same color as the background material.	Yes		
c. The vest shall be available in the following sizes Small - 4X large. Big and Tall sizes, up to 6X and longer in the body, are also desired.	Yes		Sizes Available - S - 6X
d. The front of the vest shall have four pockets on the outside and two on the inside. The right chest pocket and the lower hip pockets shall have an upper flap to close the pocket with a snap or Velcro closure. The material used to create the pockets and closure flaps shall be the same as the background material.	Yes		
(i) The right chest pocket on the outside shall be at least 3 ½" wide and 5" deep.	Yes		
(ii) The left chest pocket shall be at least 5 ½" wide and 4 ½" deep and be divided and sewn into four evenly spaced vertical slots able to fit pencils and markers.	Yes		
(iii) The lower pockets shall be at least 7" wide and 7 ½" deep and have a full facing upper flap to close the pocket with a snap or Velcro closure.	Yes		
(iv) The two front inside pockets shall be 8 ½" wide and 10 ½" deep. A snap or Velcro closure is preferred. The bottom edge of the pocket shall be near the bottom edge of the vest.	Yes		

	COMPLY		SPECIFICATIONS
	YES	NO	REMARKS
5. WORKMANSHIP			
a. The workmanship of the surveyor safety vest shall be of high quality, it shall be comfortable to wear and shall be free of ragged edges, surface blemishes, loose stitches, uneven seams or any defect that would make the vest unsuitable for its intended use.	<u>Yes</u>	_____	_____
6. WARRANTY			
a. One year full warranty – Manufacturer's standard warranty shall apply if it is for a longer period.	<u>Yes</u>	_____	<u>See Care and Use Instructions</u>
7. SAMPLE PROVIDED			
a. <u>Suppliers must submit a sample vest along with this response.</u> Unless otherwise indicated by the bidder it will be assumed that specifications will be met in all respects. Bids that do not have samples may be considered non-responsive.	<u>Yes</u>	_____	<u>See Provided PIP Samples</u>
b. <u>If supplier would like the sample vest returned, please include a PREPAID SELF-ADDRESSED SHIPPING LABEL.</u> The non-awarded vests will be returned after the completion of the bid process if requested by bidder. If not requested the sample will become the property of the State.	_____	<u>No</u>	<u>Return is not required</u>
8. SAFETY STANDARDS			
a. The surveyor safety vest shall meet the requirements of <u>Class 3 Type R ANSI/ISEA 107-2015</u> including all color, performance and care label requirements.	<u>Yes</u>	_____	_____
b. <u>THE SUPPLIER SHALL FURNISH CERTIFICATIONS FOR THE BACKGROUND MATERIAL and REFLECTIVE MATERIAL</u>	<u>Yes</u>	_____	<u>See Spec Documents and CoC</u>

The award will be based on specification compliance, and low bid to furnish and deliver the surveyor vests to all DOT district locations. (See attached listing)

Warranty:

Manufacturer's standard one-year full warranty. If manufacturer's standard warranty is for a longer period, it shall apply.

BIDDER: Grainger

(04-21-20)

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
SPECIFICATIONS
FOR GROUP 03
ALL MESH SURVEYOR SAFETY VEST
(NDDOT Approval will be Required)

Bidder's Instructions: Indicate compliance to the specifications on the "COMPLY YES/NO" line by each specification. Indicate any deviations from the specifications whether the minimum specifications are met or not on the "SPECIFICATION DEVIATIONS" line. Failure to comply with bid specifications may result in rejection of the bid.

This specification is intended to describe a Class 3 reflective safety vest for use by surveyors of the North Dakota Department of Transportation (NDDOT). The surveyor safety vest must be constructed of durable material and meet the minimum requirements of this specification. The surveyor safety vest shall be current production of the latest model.

	COMPLY		SPECIFICATIONS REMARKS
	YES	NO	
1. VEST MATERIAL			
a. The material on the front of the surveyor safety vest shall be a Fluorescent Lime-Yellow ANSI compliant breathable mesh fabric. The fabric shall have a minimum weight of 3 oz. per square yard.	Yes	_____	3.5 oz/yd2
b. The material on the backside of the surveyor safety vest shall be a Fluorescent Lime-Yellow ANSI compliant breathable mesh fabric. The mesh fabric shall have a minimum weight of 3 oz. per square yard.	Yes	_____	3.5 oz/yd2
2. REFLECTIVE/HIGH VISIBILITY MATERIAL			
a. Two-tone silver/orange strips for day and night visibility. The two-tone strip shall consist of 2" wide reflective silver fabric with 1" wide orange grosgrain material on each side of the reflective silver fabric. The reflective material shall be 3M Scotchlite Reflective Material, Product No. 8925 or equivalent, silver fabric. All reflective material must meet Type R ANSI requirements. NO EXCEPTIONS	Yes	_____	_____
(i) A 2" wide strip of reflective silver fabric shall be sewn or RF welded securely to a 4" wide strip of orange grosgrain material to create the two-tone strip then sewn or RF welded securely to the vest.	Yes	_____	_____
(ii) (ii)A strip shall be placed over each shoulder of the vest (in front and back) and a strip 360° around the lower portion of the vest.	Yes	_____	_____
(iii) The bottom of the 360° strip shall be at least 2" above the bottom of the vest.	Yes	_____	_____
(iv) The amount of reflective material on the vest shall be adequate to meet Class 3 Type R requirements.	Yes	_____	See Spec Documents and CoC

	COMPLY		SPECIFICATIONS REMARKS
	YES	NO	
3. BINDING			
a. All edges shall be bound and sewn with a single stitched durable cloth binding yellow, orange or black in color. It is preferred the binding be the same color as the background material and the stitching be the same color as the material being sewn.	Yes	_____	_____
b. In the sewing process of the binding, the cloth binding shall be folded to create a smooth edge on all sides and edges of the safety vest. Plastic type bindings or borders are not acceptable.	Yes	_____	_____
c. When sewing the reflective tape, pockets or bindings a lock stitch shall be used. The stitch count shall be no less than 6 or more than 12 stitches per inch.	Yes	_____	_____
4. CONSTRUCTION			
a. The all mesh surveyor safety vest shall be V-neck style and shall be made from two (2) single pieces of mesh fabric for the front panels and a single piece of mesh fabric for the back panel.	Yes	_____	Meets Spec and Amendment
b. A 12" nonconductive zipper that is yellow, orange or black in color shall be sewn vertical on the front center of the vest for front closure. It is preferred the zipper color be the same color as the background material.	Yes	_____	_____
c. The vest shall be available in the following sizes Small - 4X large. Big and Tall sizes, up to 6X and longer in the body, are also desired.	Yes	_____	Sizes Available - S - 5X
d. The front of the vest shall have four pockets on the outside and two on the inside. The right chest pocket and the lower hip pockets shall have an upper flap to close the pocket with a snap or Velcro closure. The material used to create the pockets and closure flaps shall be the same as the background material.	Yes	_____	_____
(i) The right chest pocket on the outside shall be at least 3 ½" wide and 5" deep.	Yes	_____	_____
(ii) The left chest pocket shall be at least 5 ½" wide and 4 ½" deep and be divided and sewn into four evenly spaced vertical slots able to fit pencils and markers.	Yes	_____	_____
(iii) The lower pockets shall be at least 7" wide and 7 ½" deep and have a full facing upper flap to close the pocket with a snap or Velcro closure.	Yes	_____	_____
(iv) The two front inside pockets shall be 8 ½" wide and 10 ½" deep. A snap or Velcro closure is preferred. The bottom edge of the pocket shall be near the bottom edge of the vest.	Yes	_____	_____

	COMPLY		SPECIFICATIONS REMARKS
	YES	NO	
5. WORKMANSHIP			
a. The workmanship of the surveyor safety vest shall be of high quality, it shall be comfortable to wear and shall be free of ragged edges, surface blemishes, loose stitches, uneven seams, or any defect that would make the vest unsuitable for its intended use.	Yes	_____	_____
6. WARRANTY			
a. One year full warranty – Manufacturer’s standard warranty shall apply if it is for a longer period.	Yes	_____	See Care and Use Instructions
7. SAMPLE PROVIDED			
b. <u>Suppliers must submit a sample vest along with this response.</u> Unless otherwise indicated by the bidder it will be assumed that specifications will be met in all respects. Bids that do not have samples may be considered non-responsive.	Yes	_____	See PIP Samples
c. <u>If supplier would like the sample vest returned, please include a PREPAID SELF-ADDRESSED SHIPPING LABEL.</u> The non-awarded vests will be returned after the completion of the bid process if requested by bidder. If not requested the sample will become the property of the State.	_____	No	Return is not required
8. SAFETY STANDARDS			
a. The surveyor safety vest shall meet the requirements of <u>Class 3 Type R ANSI/ISEA 107-2015</u> including all color, performance and care label requirements.	Yes	_____	_____
b. <u>THE SUPPLIER SHALL FURNISH CERTIFICATIONS FOR THE BACKGROUND MATERIAL and REFLECTIVE MATERIAL</u>	Yes	_____	See Spec Documents and CoC

The award will be based on specification compliance, and low bid to furnish and deliver the mesh surveyor vests to all DOT district locations. (See attached listing)

Warranty:

Manufacturer’s standard one-year full warranty. If manufacturer’s standard warranty is for a longer period, it shall apply.

Vendors are informed that the quantities that will be ordered are unknown, attached to this invitation to bid is information that shows the quantities ordered in the past.

BID RESPONSE

GROUP 01 – <u>STANDARD SAFETY VEST</u> - (SAMPLE OF VEST TO BE PROVIDED WITH BID)				
ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
STANDARD SAFETY VESTS – SMALL				
1.	1	EA.	STANDARD SAFETY VESTS – SMALL BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-S</u>	\$ 9.87
STANDARD SAFETY VESTS – MEDIUM (REGULAR)				
2.	1	EA.	STANDARD SAFETY VESTS – MEDIUM BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-M</u>	\$ 9.87
STANDARD SAFETY VESTS – LARGE				
3.	1	EA.	STANDARD SAFETY VESTS – LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-L</u>	\$ 9.87
STANDARD SAFETY VESTS – X-LARGE				
4.	1	EA.	STANDARD SAFETY VESTS – X-LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-XL</u>	\$ 9.87

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
STANDARD SAFETY VESTS – XX-LARGE				
5.	1	EA.	STANDARD SAFETY VESTS – XX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-2X</u>	\$ 9.87
STANDARD SAFETY VESTS – XXX-LARGE				
6.	1	EA.	STANDARD SAFETY VESTS – XXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-3X</u>	\$ 9.87
STANDARD SAFETY VESTS – XXXX-LARGE				
7.	1	EA.	STANDARD SAFETY VESTS – XXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-4X</u>	\$ 9.87
STANDARD SAFETY VESTS – XXXXX-LARGE				
8.	1	EA.	STANDARD SAFETY VESTS – XXXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-HSVPLY-5X</u>	\$ 9.87
STANDARD SAFETY VESTS – XXXXXX-LARGE				
9.	1	EA.	STANDARD SAFETY VESTS – XXXXXX-LARGE BRAND: <u>Not Available</u> PART NO: <u>Not Available</u>	\$ N/A

BID RESPONSE

GROUP 02 – <u>SURVEYOR SAFETY VEST</u> - (SAMPLE OF VEST TO BE PROVIDED WITH BID)				
ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
SURVEYOR SAFETY VESTS – SMALL				
10.	1	EA.	SURVEYOR SAFETY VESTS – SMALL BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/S</u>	\$ 12.27
SURVEYOR SAFETY VESTS – MEDIUM				
11.	1	EA.	SURVEYOR SAFETY VESTS – MEDIUM BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/M</u>	\$ 12.27
SURVEYOR SAFETY VESTS – LARGE				
12.	1	EA.	SURVEYOR SAFETY VESTS – LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/L</u>	\$ 12.27
SURVEYOR SAFETY VESTS – X-LARGE				
13.	1	EA.	SURVEYOR SAFETY VESTS – X-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500- LY/XL</u>	\$ 12.27

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
SURVEYOR SAFETY VESTS – XX-LARGE				
14.	1	EA.	SURVEYOR SAFETY VESTS – XX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500- LY/2X</u>	\$ 12.27
SURVEYOR SAFETY VESTS – XXX-LARGE				
15.	1	EA.	SURVEYOR SAFETY VESTS – XXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/3X</u>	\$ 12.27
SURVEYOR SAFETY VESTS – XXXX-LARGE				
16.	1	EA.	SURVEYOR SAFETY VESTS – XXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/4X</u>	\$ 12.27
SURVEYOR SAFETY VESTS – XXXXX-LARGE				
17.	1	EA.	SURVEYOR SAFETY VESTS – XXXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/5X</u>	\$ 12.27

BIDDER: Grainger

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
SURVEYOR SAFTEY VESTS – XXXXXX-LARGE				
18.	1	EA.	SURVEYOR SAFETY VESTS – XXXXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500-LY/6X</u>	\$ 12.27

GROUP 03 – ALL MESH SURVEYOR SAFETY VEST
(SAMPLE OF VEST TO BE PROVIDED WITH BID)

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
ALL MESH SURVEYOR SAFETY VESTS – SMALL				
19.	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – SMALL BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/S</u>	\$ 12.27
ALL MESH SURVEYOR SAFETY VESTS – MEDIUM				
20.	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – MEDIUM BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/M</u>	\$ 12.27
ALL MESH SURVEYOR SAFETY VESTS – LARGE				
21.	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/L</u>	\$ 12.27
ALL MESH SURVEYOR SAFETY VESTS – X-LARGE				
22.	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – X-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/XL</u>	\$ 12.27

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
23.	ALL MESH SURVEYOR SAFETY VESTS – XX-LARGE			
	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – XX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/2X</u>	\$ 12.27
24.	ALL MESH SURVEYOR SAFETY VESTS – XXX-LARGE			
	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – XXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/3X</u>	\$ 12.27
25.	ALL MESH SURVEYOR SAFETY VESTS – XXXX-LARGE			
	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – XXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/4X</u>	\$ 12.27
26.	ALL MESH SURVEYOR SAFETY VESTS – XXXXX-LARGE			
	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – XXXXX-LARGE BRAND: <u>PIP</u> PART NO: <u>303-0500M-LY/5X</u>	\$ 12.27

ITEM NO.	QTY	UNIT	DETAILED SPECIFICATIONS	EACH PRICE
ALL MESH SURVEYOR SAFETY VESTS – XXXXXX-LARGE				
27.	1	EA.	ALL MESH SURVEYOR SAFETY VESTS – XXXXXX-LARGE BRAND: <u>Not Available</u> PART NO: <u>Not Available</u>	\$ N/A

**NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
STOREKEEPER LIST**

61 - BISMARCK:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
MARC REED
218 S AIRPORT ROAD
BISMARCK ND 58504
(701)328-6941 (701)328-6948 FAX

62 - VALLEY CITY:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
DONNA KASTET
1524 8TH AVENUE SW
VALLEY CITY ND 58072
(701)845-8803 (701)845-8804 FAX

63 - DEVILS LAKE:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
LISA VETSCH
316 6TH ST SE
DEVILS LAKE ND 58301
(701)665-5119 (701)328-0329 FAX

64 - MINOT:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
LINDA KILLMER
1305 HIGHWAY 2 BYPASS EAST
MINOT ND 58701-7922
(701)857-6928 (701)857-6944 FAX

65 - DICKINSON:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
SHARON PRIVATSKY
1700 3RD AVE W STE 101
DICKINSON ND 58601-3009
(701)227-6525 (701)227-6505 FAX

66 - GRAND FORKS:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
PAULA SOLHEIM
1951 NORTH WASHINGTON
PO BOX 13077
GRAND FORKS ND 58208-3077
(701)787-6521 (701)787-6515 FAX

67 - WILLISTON:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
TRAVIS NELSEN
605 DAKOTA PARKWAY WEST
PO BOX 698
WILLISTON ND 58802-0698
(701)774-2721 (701)774-2704 FAX

68 - FARGO:

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION
TRAVIS PERDUE
503 - 38TH STREET SOUTH
FARGO ND 58103-1198
(701)239-8910 (701)239-8915 FAX

North Dakota Department of Transportation

Invitation to Bid

Bid Number: 34-79-20-050-2

SUBMITTED BY:
Thomas Gimena
Government Sales Manager
W.W. Grainger, Inc.
Thomas.Gimena@grainger.com
(312) 257-0514

March 15, 2020



The Grainger Shipping Box design is a registered trademark of W.W. Grainger, Inc.

GRAINGER.COM® | 1.800.GRAINGER



Executive Summary

Grainger is pleased to present the North Dakota Department of Transportation (NDDOT) with our bid response and values the growing partnership we have shared with the North Dakota Department of Transportation over the years. Through our collective efforts, we have been able to consistently provide products, services, and solutions that keep NDDOT facilities running, and people safe. We strive to provide the products, value added solutions, and services that enable your facilities to take out costs, drive efficiencies, and operate in a safe and sustainable environment.

Offer Overview

- Grainger's offer aligns with NDDOT specifications communicated through the Invitation to Bid.
- Strategic Partnerships allow the opportunity to maximize the total value of our mutual investments and consolidate tail spend and supports NDDOT's standardization and consolidation priorities.

Master Agreement

- This response would fall under the current Grainger NASPO Master Agreement with the State of North Dakota.
- This current NASPO Master Agreement is effective through 2024.
- Currently awarded supplier status for your personal safety supply.

In consideration for the proposed offer, Grainger respectfully requests:

- Maximize partnership to drive contract compliance; and,
- Key procurement participation in business review meetings.

On behalf of the entire Grainger team, we appreciate the opportunity to continue to serve NDDOT. We are confident that our proposal provides savings, while assisting with driving total cost savings across NDDOT facilities.

Thank you for your consideration,

Thomas Gimena

Thomas Gimena
Government Sales Manager
W.W. Grainger, Inc.
Thomas.Gimena@grainger.com
(312) 257-0514

CONFIDENTIALITY

The information contained in this proposal is owned by W.W. Grainger, Inc., and is considered strictly confidential and proprietary. The contents of this proposal are solely intended for use by employees of NDDOT to assist in the ordering of products from W.W. Grainger, Inc. and may not be disclosed to any person not an employee of NDDOT without the prior written consent of W.W. Grainger, Inc.

PROPOSAL DISCLAIMER

Please note: Pricing, freight, and other terms offered in this proposal are contingent upon completion of a contract signed by both parties. Descriptive, narrative, promotional, or other general information (other than specific pricing information) contained in this Proposal is provided solely for illustrative, marketing, and informational purposes only, and is not intended to represent specific promises or other assurances of W.W. Grainger, Inc.'s capabilities, functionalities, or other performance metrics. Please do not include this material in any contractual document or award letter that you may issue to W.W. Grainger, Inc. in response to this Proposal.

This proposal will remain valid for 60 days from date of submission. After 60 days, if the offer is not accepted as stated, Grainger reserves the right to rescind or adjust this offer with no obligation to NDDOT. If Grainger experiences a material increase in its cost to supply any Catalog Product as a result of, among other things, changes in laws or regulations, impositions of tariffs, increases in commodity prices, or other changes in conditions not reasonably foreseeable to Grainger, Grainger reserves the right to revise the price.



SPECIFICATION SHEET

303-HSVP



ANSI TYPE R CLASS 3 VALUE TWO-TONE MESH VEST

- Breathable polyester mesh
- 2" two tone tape for optimum visibility
- Zipper closure
- 2 internal lower pockets

APPLICATIONS


- Construction
- Municipalities
- Shipyards
- Anywhere hi-visibility apparel is necessary

CARE INSTRUCTIONS

Recommend washing in tempered water not exceeding 104°F or 40°C. Wash in a 5-10 minute cycle time or hand wash. Rinse in cold water. Tumble dry at temperature not exceeding 104°F or 40°C, do not wring. Do not wash in biological powder, wash as synthetics. Maximum of 30 wash cycles.

TECHNICAL DATA

MATERIAL	100% Polyester Mesh
CONSTRUCTION	Main: 120g/m ² mesh fabric and 120g/m ² tricot polyester knit Acc: 2" silver contrast reflective tape
COLOR	Hi-Vis Lime Yellow or Hi-Vis Orange
SIZES	S - 5X
PACKAGING	1 per poly bag, 5 per inner pack, 50 per case
CASE DIMENSIONS	22.8" x 14.6" x 13.8" / 58cm x 37cm x 35cm
CASE WEIGHT	23 lbs / 10.4 kg
COO	China




DIMENSIONS (in/cm)

	S	M	L	XL	2X	3X	4X	5X
A	45 / 114	47.2 / 120	49.6 / 126	52 / 132	54.3 / 138	56.7 / 144	59 / 150	61.4 / 156
B	27 / 69	28 / 71.1	28 / 71.1	28 / 71.1	28 / 71.1	28 / 71.1	28 / 71.1	28 / 71.1

BARCODES

ITEM	BAG	INNER PACK	CASE
303-HSVP-LY/S	616314204920	01616314204929	02616314204928
303-HSVP-LY/M	616314071485	01616314071484	02616314071483
303-HSVP-LY/L	616314071478	01616314071477	02616314071476
303-HSVP-LY/XL	616314071492	01616314071491	02616314071490
303-HSVP-LY/2X	616314071430	01616314071439	02616314071438
303-HSVP-LY/3X	616314071447	01616314071446	02616314071445
303-HSVP-LY/4X	616314071454	01616314071453	02616314071452
303-HSVP-LY/5X	616314071461	01616314071460	02616314071459
303-HSVP-OR/S	616314204937	01616314204936	02616314204935
303-HSVP-OR/M	616314071553	01616314071552	02616314071551
303-HSVP-OR/L	616314071546	01616314071545	02616314071544
303-HSVP-OR/XL	616314071560	01616314071569	02616314071568
303-HSVP-OR/2X	616314071508	01616314071507	02616314071506
303-HSVP-OR/3X	616314071515	01616314071514	02616314071513
303-HSVP-OR/4X	616314071522	01616314071521	02616314071520
303-HSVP-OR/5X	616314071539	01616314071538	02616314071537



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used, or reproduced, without permission. Product users should consult all relevant standards and other regulations to determine the suitability of PIP products for a particular purpose or use within a particular jurisdiction. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



SPECIFICATION SHEET

303-0500M



ANSI TYPE R CLASS 3 TWO-TONE SAFETY SURVEYORS VEST

- Breathable polyester mesh
- 2" two tone tape for optimum visibility
- 2 mic tabs with reinforced stitching
- Zipper closure
- 2 external lower flap pockets, 2 internal lower pockets
- 1 chest radio pocket, 1 internal pen pocket
- 1 chest pocket with 4 pen pockets in front

APPLICATIONS


- Construction
- Municipalities
- Shipyards
- Anywhere hi-visibility apparel is necessary

CARE INSTRUCTIONS

Recommend washing in tempered water not exceeding 104°F or 40°C. Wash in a 5-10 minute cycle time or hand wash. Rinse in cold water. Tumble dry at temperature not exceeding 104°F or 40°C, do not wring. Do not wash in biological powder, wash as synthetics. Maximum of 30 wash cycles.

TECHNICAL DATA

MATERIAL	100% Polyester Mesh
CONSTRUCTION	Main: 120g/m ² polyester mesh Acc: 2-inch Level 2 silver two-tone reflective tape
COLOR	■ Hi-Vis Lime Yellow / ■ Hi-Vis Orange
SIZES	S - 5X
PACKAGING	1/Polybag, 5/Inner Pack, 50/Case
CASE	22.8" x 14.6" x 13.8" / 58cm x 37cm x 35cm
CASE WEIGHT	23.0 lbs / 10.4 kg
COO	China




DIMENSIONS (in/cm)

	S	M	L	XL	2X	3X	4X	5X
A	45/114	47.2/120	49.6/126	52/132	54.3/138	56.7/144	59/150	61.4/156
B	27/69	28/71	28/71	28/71	29/73.5	29/73.5	30/76	30/76

BARCODES

ITEM	BAG	INNER PACK	CASE
303-0500M-LY/S	616314218200	01616314218209	02616314218208
303-0500M-LY/M	616314218217	01616314218216	02616314218215
303-0500M-LY/L	616314218224	01616314218223	02616314218222
303-0500M-LY/XL	616314218231	01616314218230	02616314218239
303-0500M-LY/2X	616314218248	01616314218247	02616314218246
303-0500M-LY/3X	616314218255	01616314218254	02616314218253
303-0500M-LY/4X	616314218262	01616314218261	02616314218260
303-0500M-LY/5X	616314218279	01616314218278	02616314218277
303-0500M-OR/S	616314218125	01616314218124	02616314218123
303-0500M-OR/M	616314218132	01616314218131	02616314218130
303-0500M-OR/L	616314218149	01616314218148	02616314218147
303-0500M-OR/XL	616314218156	01616314218155	02616314218154
303-0500M-OR/2X	616314218163	01616314218162	02616314218161
303-0500M-OR/3X	616314218170	01616314218179	02616314218178
303-0500M-OR/4X	616314218187	01616314218186	02616314218185
303-0500M-OR/5X	616314218194	01616314218193	02616314218192



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should consult all applicable testing agency evaluations to determine the liability of PIP products for a particular purpose or use with a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.



CERTIFICATION OF CONFORMANCE

Customer: GRAINGER

Item #: 303-0500-LY

We certify that to the best of its knowledge, without due inquiry, that the goods supplied will be supplied or manufactured by the company indicated on it's packaging or item(s) if so noted, and conform to the specifications as indicated thereon.

Country of origin: CHINA

Harmonization code: 6117.80

Signed:

A handwritten signature in black ink, appearing to read 'Joseph Milot III', is written over a light gray rectangular background.

Joseph Milot III
Product Manager

Date: 05/14/20

If you have further questions please contact PIP at **518-861-0133**.



SPECIFICATION SHEET

303-0500



ANSI TYPE R CLASS 3 TWO-TONE SURVEYOR ELEVEN POCKET VEST

- Solid front and mesh back and sleeves for breathability
- 2" two tone tape for optimum visibility
- 2 mic tabs with reinforced stitching
- Zipper closure
- 2 external lower flap pockets
- 2 internal lower pockets
- 1 chest radio pocket
- 1 internal pen pocket
- 1 chest pocket with 4 pen pockets in front

APPLICATIONS


- Construction
- Municipalities
- Shipyards
- Anywhere hi-visibility apparel is necessary

CARE INSTRUCTIONS

Recommend washing in tempered water not exceeding 104°F or 40°C. Wash in a 5-10 minute cycle time or hand wash. Rinse in cold water. Tumble dry at temperature not exceeding 104°F or 40°C, do not wring. Do not wash in biological powder, wash as synthetics. Maximum of 30 wash cycles.

TECHNICAL DATA

MATERIAL	100% Polyester Mesh & Solid Tricot
CONSTRUCTION	Main Fabric: 120g/m ² mesh fabric and 120g/m ² tricot polyester knit Accessories: 2" silver two-tone reflective tape
COLOR	■ Hi-Vis Lime Yellow or ■ Hi-Vis Orange
SIZES	S - 6XL
PACKAGING	1 per poly bag, 5 per inner pack, 50 per case
CASE DIMENSIONS	22.8" x 14.6" x 13.8" / 58cm x 37cm x 35cm
CASE WEIGHT	23.0 lbs / 10.4 kg
COO	China



BARCODES (cont)


303-0500-OR/3X	616314097096	01616314097095	02616314097094
303-0500-OR/4X	616314097102	01616314097101	02616314097100
303-0500-OR/5X	616314097119	01616314097118	02616314097117
303-0500-OR/6X	616314266911	01616314266910	02616314266919

BARCODES

ITEM	BAG	INNER PACK	CASE
303-0500-LY/S	616314204906	01616314204905	02616314204904
303-0500-LY/M	616314097003	01616314097002	02616314097001
303-0500-LY/L	616314096976	01616314096975	02616314096974
303-0500-LY/XL	616314097010	01616314097019	02616314097018
303-0500-LY/2X	616314097027	01616314097026	02616314097025
303-0500-LY/3X	616314097034	01616314097033	02616314097032
303-0500-LY/4X	616314097041	01616314097040	02616314097049
303-0500-LY/5X	616314097058	01616314097057	02616314097056
303-0500-LY/6X	616314196683	01616314196682	02616314196681
303-0500-OR/S	616314204913	01616314204912	02616314204911
303-0500-OR/M	616314097065	01616314097064	02616314097063
303-0500-OR/L	616314096983	01616314096982	02616314096981
303-0500-OR/XL	616314097072	01616314097071	02616314097070
303-0500-OR/2X	616314097089	01616314097088	02616314097087

DIMENSIONS (in/cm)

	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
A	45/114	47.2/120	49.6/126	52/132	54.3/138	56.7/144	59/150	61.4/156	63.8/162
B	27/69	28/71.1	28/71.1	28/71.1	28/71.1	28/71.1	28/71.1	28/71.1	31.1/79



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should report all inaccuracies, errors or other evaluations to: info@pipglobal.com. The liability of PIP products for a particular purpose or use, which is a regular component of PIP GLOBAL'S ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.

Risk Management Appendix

Supply Contracts with Private Individuals, Companies, Corporations, Etc.:

Each party agrees to assume its own liability for any and all claims of any nature including all costs, expenses and attorney's fees which may in any manner result from or arise out of this agreement.

Contractor, or Contractor's delivery agent, shall secure and keep in force during the term of this agreement, from insurance companies, government self-insurance pools or government self-retention funds authorized to do business in North Dakota, the following insurance coverages:

- 1) **Commercial general liability and automobile liability insurance.**
- 2) **Workers compensation insurance.**

Contractor shall produce certificates of insurance or copies of insurance policies upon request by the State.

When a portion of a Contract is sublet, the Contractor shall obtain insurance protection (as outlined above) to provide liability coverage to protect the Contractor and the State as a result of work undertaken by the Subcontractor. In addition, the Contractor shall ensure that any and all parties performing work under the Contract are covered by public liability insurance as outlined above. All Subcontractors performing work under the Contract are required to maintain the same scope of insurance required of the Contractor. The Contractor shall be held responsible for ensuring compliance with those requirements by all Subcontractors.

RM Consulted 2007
Revised 6-07



Name	Item	Qty
North Dakota DOT - Bismarck	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	80.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-M (SV22-3ZGM-M Green 2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	6.00
North Dakota DOT - Bismarck	PIP303-0500M-L-Y/L (Two Tone Mesh Surveyors Vest L 11 Pockets ANSI Type R Class 3)	2.00
North Dakota DOT - Bismarck	PIP303-0500M-L-Y/XL (Two Tone Mesh Surveyors Vest XL 11 Pockets ANSI Type R Class 3)	4.00
North Dakota DOT - Bismarck	PIP303-0500M-L-Y/2XL (Two Tone Mesh Surveyors Vest 2XL 11 Pockets ANSI Type R Class 3)	1.00
North Dakota DOT - Bismarck	PIP303-0500M-L-Y/4XL (Two Tone Mesh Surveyors Vest 4XL 11 Pockets ANSI Type R Class 3)	2.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-S (Yellow HI Vis Surveyor Safety Vest SM)	1.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-M (Yellow HI Vis Surveyor Safety Vest MD)	0.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-L (Yellow HI Vis Surveyor Safety Vest L Class III)	30.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	40.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-2XL (Yellow HI Vis Surveyor Safety Vest 2XL)	22.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-3XL (Yellow HI Vis Surveyor Safety Vest 3XL)	0.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-4XL (Yellow HI Vis Surveyor Safety Vest 4XL)	6.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-5XL (Yellow HI Vis Surveyor Safety Vest 5XL)	4.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-M (Yellow HI Vis Surveyor Safety Vest MD)	3.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-3XL (Yellow HI Vis Surveyor Safety Vest 3XL)	5.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-2XL (Yellow HI Vis Surveyor Safety Vest 2XL)	2.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	2.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-L (Yellow HI Vis Surveyor Safety Vest L Class III)	10.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	15.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-2XL (Yellow HI Vis Surveyor Safety Vest 2XL)	5.00
North Dakota DOT - Bismarck	PIP303-0500-L-Y-M (Yellow HI Vis Surveyor Safety Vest MD)	5.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	20.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	10.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Bismarck	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	4.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	4.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	4.00

North Dakota DOT - Devils Lake	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	4.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-L (Yellow HI Vis Surveyor Safety Vest L Class III)	4.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	4.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-2XL (Yellow HI Vis Surveyor Safety Vest 2XL)	4.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-3XL (Yellow HI Vis Surveyor Safety Vest 3XL)	4.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	6.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	6.00
North Dakota DOT - Devils Lake	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	10.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	4.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-2XL (Yellow HI Vis Surveyor Safety Vest 2XL)	6.00
North Dakota DOT - Devils Lake	PIP303-0500-L-Y-3XL (Yellow HI Vis Surveyor Safety Vest 3XL)	6.00
North Dakota DOT - Dickinson	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	20.00
North Dakota DOT - Dickinson	PIP303-0500-L-Y-L (Yellow HI Vis Surveyor Safety Vest L Class III)	10.00
North Dakota DOT - Dickinson	PIP303-0500M-L-YL (Two Tone Mesh Surveyors Vest L 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Dickinson	PIP303-0500M-L-Y/XL (Two Tone Mesh Surveyors Vest XL 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Dickinson	PIP303-0500M-L-Y/2XL (Two Tone Mesh Surveyors Vest 2XL 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Dickinson	PIP303-0500M-L-Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets Ansi Type R Class III)	10.00
North Dakota DOT - Dickinson	PIP303-0500M-L-Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets Ansi Type R Class III)	30.00
North Dakota DOT - Fargo	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Fargo	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Fargo	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Fargo	MAJ75-1383-TALL-3XL (8 In 1 Lime Green Bomber Jacket TALL 3XL Black Bottom)	1.00
North Dakota DOT - Fargo	PIP303-0500-L-Y-M (Yellow HI Vis Surveyor Safety Vest MD)	15.00
North Dakota DOT - Fargo	PIP303-0500-L-Y-L (Yellow HI Vis Surveyor Safety Vest L Class III)	15.00
North Dakota DOT - Fargo	PIP303-0500-L-Y-XL (Yellow HI Vis Surveyor Safety Vest XL)	20.00
North Dakota DOT - Grand Forks	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	15.00
North Dakota DOT - Grand Forks	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	50.00
North Dakota DOT - Grand Forks	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	25.00
North Dakota DOT - Grand Forks	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	10.00
North Dakota DOT - Grand Forks	RADSV22-3ZGM-5XL (SV22-3ZGM-5XL Green w/2 Tone Striping & Zipper Vest)	5.00
North Dakota DOT - Grand Forks	PIP303-0500M-L-Y/L (Two Tone Mesh Surveyors Vest L 11 Pockets ANSI Type R Class 3)	25.00

North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/XL (Two Tone Mesh Surveyors Vest XL 11 Pockets ANSI Type R Class 3)	25.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/2XL (Two Tone Mesh Surveyors Vest 2XL 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/3XL (Two Tone Mesh Surveyors Vest 3XL 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets ANSI Type R Class III)	10.00
North Dakota DOT - Grand Forks	PIP303-0500-L-Y-6XL (Yellow Hi Vis Surveyor Safety Vest 6XL)	2.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/M (Two Tone Mesh Surveyors Vest M 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets ANSI Type R Class III)	10.00
North Dakota DOT - Grand Forks	PIP303-0500-L-Y-6XL (Yellow Hi Vis Surveyor Safety Vest 6XL)	6.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/L (Two Tone Mesh Surveyors Vest L 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Grand Forks	PIP303-0500M-L/Y/XL (Two Tone Mesh Surveyors Vest XL 11 Pockets ANSI Type R Class 3)	10.00
North Dakota DOT - Minot	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Minot	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	18.00
North Dakota DOT - Minot	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	18.00
North Dakota DOT - Minot	RADSV22-3ZGM-3XL (SV22-3ZGM-3XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Minot	RADSV22-3ZGM-4XL (SV22-3ZGM-4XL Green Class III w/2 Tone Striping & Zipper Vest)	6.00
North Dakota DOT - Minot	RADSV22-3ZGM-5XL (SV22-3ZGM-5XL Green w/2 Tone Striping & Zipper Vest)	6.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/M (Two Tone Mesh Surveyors Vest M 11 Pockets ANSI Type R Class 3)	6.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets ANSI Type R Class III)	7.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/L (Two Tone Mesh Surveyors Vest L 11 Pockets ANSI Type R Class 3)	12.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/XL (Two Tone Mesh Surveyors Vest XL 11 Pockets ANSI Type R Class 3)	12.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/5XL (Two Tone Mesh Surveyors Vest 5XL 11 Pockets ANSI Type R Class III)	5.00
North Dakota DOT - Valley City	PIP303-0500M-L/Y/M (Two Tone Mesh Surveyors Vest M 11 Pockets ANSI Type R Class 3)	5.00
North Dakota DOT - Williston	RADSV22-3ZGM-M (SV22-3ZGM-M Green 2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Williston	RADSV22-3ZGM-L (SV22-3ZGM-L Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Williston	RADSV22-3ZGM-XL (SV22-3ZGM-XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00
North Dakota DOT - Williston	RADSV22-3ZGM-2XL (SV22-3ZGM-2XL Green Class III w/2 Tone Striping & Zipper Vest)	12.00