North Dakota Department of Transportation INVITATION TO BID

INVITATION	TO BID 50171246
Bid Number: 760-06-17-050	Bid Opening Date & Time: 08/08/2017 02:00 PM
Items: Cutting Edges	Buyer: Vanessa Brosten
Bid Mailing Address: 608 East Boulevard Avenue	Telephone Number: 701-328-4466
City, State, Zip: Bismarck, North Dakota, 58505-0700	Email: vbrosten@nd.gov
Contract Period: 08/15/2017 TO 07/31/2018	Date Prepared: 07/21/2017

BID RESPONSE

Please submit your bid response on the attached forms in conformance with the instructions and specifications in the NDAC 04-12-01 - 04-12-16. One copy of your bid response must be returned to the North Dakota Department of Transportation (NDDOT) prior to the time and date specified for the bid opening. Bid responses received after the time and day specified for the bid opening will be rejected. Mark envelope with word "BID" and the opening time and date. If your

bid response is accepted by NDDOT, then your bid response	onse will consti	tute a binding contract.		
CONT	TRACT			
This contract is made and entered into by and between NDD	OT for the state			
Vendor Name	Vendor Addres	s		
KUEPER PURTH AMERICA	171 CHURCI	1 ST. SUITE 300 CHARLESTON SC 29401		
(hereinafter vendor). In consideration of and for the accepta				
the bid response, the vendor agrees and promises to sell, fi				
specified in the bid response, all goods, merchandise, supp bid response and for which the vendor has been awarded	this contract by	the state. The vendor shall fully perform this		
contract in accordance with the terms and conditions conta	ained in the bid	esponse including all specifications, rules, or		
regulations mentioned therein, and shall comply with all	l applicable pro	visions of the NDAC 04-12-01 - 04-12-16		
promulgated by the State Purchasing Division; such manus				
Management Appendix and Appendices A and E of the Titl made a part of this agreement.	ie vi Assurance	s, attached, are hereby incorporated into and		
made a part of this agreement.				
The following must be completed by the vendor; failure to	o do so may resu	It in the rejection of the vendors bid proposal.		
Vendor Name				
Mailing Address				
1)1 CHUNCH ST. SUITE 300 CHA	AMIESTON	5/ 29401		
Telephone Number Fax Number E-mail Address				
8437237361 8437237362 PSCHUSTER @ KUEPERBLADES.CO				
GARDINER WILLIS, MARAGING PARTNER				
Name & Title (Type or Print)	To be sig	ned by Owner; Partner; Corp. Pres., Vice		
	Pres., or	other authorized Corp. Officer or bid may		
Signature		ed. (if signed by other authorized Corp.		
		lease attach copy of Power of Attorney or umentation showing authority to sign.)		
8/4/17		amenation showing authority to sign.)		
Date				
FOR ND DEPARTMENT OF TRANSPORTATION USE ONL	Y Accepted by t	he state according to provisions of award.		
Authorized Signature Thomas K Sorel	- 1	Date		
- / - 4 / .	S /	9-7-/7		
Recommended for approval	Daté	Approximate contract amount		
frod ten	9-7-19	\$ 138,160.00 annual		
-	-			
NDDOT APPROVED AS	10 0 V 0 0 1 1 1 2 1 1	Perconances		



CLA 7480 (Div. 50)

MAILING INSTRUCTIONS

Mail only one completed and signed request for bid document per envelope, unless instructed otherwise. Request for bid documents not signed or received after the date and time specified in the request for bid will be rejected.

BID IS: ⊠ SEALED ☐ NOT SEALED

Address the envelope containing your response in the following manner:

BID NUMBER – 760-06-17-050
BID OPENING DATE/TIME – August 8, 2017; 2:00 PM Central
N. D. DEPT. OF TRANSPORTATION
PROCUREMENT SECTION
608 E BOULEVARD AVE
BISMARCK ND 58505-0700

Sealed bids will be received for furnishing "CUTTING EDGES" as per the following instructions and specifications. To be considered, this bid form must be completed in its entirety and received by the North Dakota Department of Transportation (NDDOT), 608 E. Boulevard Avenue, Bismarck ND 58505-0700 no later than 2:00 PM CENTRAL TIME, TUESDAY, AUGUST 8, 2017, at which time and place such bids will be properly opened and read

REORDER PRICING IS REQUIRED IF REQUESTED IN THIS DOCUMENT.

BIDDERS INSTRUCTIONS

- 1. <u>Assistance to Bidders with a Disability.</u> Bidders with a disability and/or language assistance, contact Civil Rights Division, NDDOT, 701-328-2978 or <u>civilrights@nd.gov</u> or TTY 711, as soon as possible so that reasonable accommodations can be made. Additionally, the Request for Reasonable Accommodations form (SFN 60135) can be accessed at the following NDDOT website location: http://www.dot.nd.gov/forms/sfn60135.pdf.
- 2. <u>Award.</u> Award will be made to a responsive, responsible bidder with the lowest price considering conformity with specifications, terms of delivery, quality, and serviceability. NDDOT reserves the right to consider bids varying in minor respects from any specific requirements herein, but judged to meet the intent of this request. Award will be made as follows:

Split award per item.

- 2. <u>Awards, Splitting of.</u> The state reserves the right to make awards by item, groups of items, or on the total low bid for all the items specified as indicated in the detailed specifications. Bidders interested only in the total low bid for all items are to state 'all or nothing' on their bid response.
- 3. <u>Bid Bond.</u> Waived in this instance: however, bidder(s) failing to enter into a contract with this office, upon notification of award, may be subject to removal from the bidder's list.
- 4. <u>Bid Held Firm.</u> Bids are not awarded at the bid opening. Bid responses will be firm for 30 days, unless stated otherwise.
- 5. <u>Bid Opening.</u> All <u>sealed</u> bids received by the NDDOT Procurement Office will be opened and read at 608 East Boulevard Avenue, Bismarck, North Dakota, at the time specified in the solicitation. Interested parties are invited to attend the bid opening.
- 6. <u>Bid Summary.</u> Bid summaries are available when the bid has been awarded. When bids are issued using the State's electronic bidding system, the bid summary will be posted and available for download from: http://www.nd.gov/spo/.

Bid summaries will be mailed to those bidders who supply a self-addressed, stamped envelope with their bid response. A copy of the bid summary may also be obtained by visiting the NDDOT Procurement Office during normal working hours.

- 7. Bidder Checklist. HAVE YOU REMEMBERED TO:
 - Review all instructions, terms and conditions, and specifications to ensure your bid response complies?
 - Prepare your price in the specified unit of measure, F.O.B. Destination, Freight Prepaid to the delivery location listed on the cover sheet?
 - Indicate whether you can meet the delivery date indicated on the cover sheet?
 - · Sign your bid response on the cover sheet?
 - Initial all changes and corrections?
 - Submit any required samples or enclosures, if applicable?
 - Mark the envelope as indicated above?
 - Review and complete all requirements contained in this solicitation to ensure compliance.
- 8. <u>Clarifications, Bid Changes and Questions Deadline.</u> The Procurement Officer is the point of contact. <u>Any irregularities, lack of clarity, requested bid changes and all questions regarding this bid and the procurement process must be addressed to the Procurement Officer referenced on the first page of this document not later than <u>end of business July 28, 2017.</u> (Contact information is indicated on cover page). If a bid amendment is required, it will generally be issued after this date.</u>

The bidder is cautioned that the requirement of this solicitation can be altered only by written amendments and that verbal communications from whatever source are of no effect.

9. <u>Corrections.</u> The bidder's authorized representative must initial any corrections and alterations (i.e. erasures, whiteouts, correction tape, etc.) made to the bid response. Those bid responses with corrections and alterations that are not initialed are subject to confirmation by the Procurement Officer.

10. Definitions.

- Bidder any person or firm submitting a competitive bid in response to a solicitation.
- Bid summary a summary of all bid responses received by the NDDOT Procurement Office.
- Bid response the executed document submitted by a bidder in response to a solicitation.
- Contract a deliberate written agreement between two or more competent persons to perform specific act or acts.
- Contractor any person or firm having a contract with a governmental body.
- Solicitation the process of notifying prospective bidders that the State wishes to receive bids for furnishing goods or services.
- 11. <u>Electronic & Facsimile Bids.</u> Bid responses are not to be email attached or faxed to the NDDOT unless this transmittal method has been authorized by the Procurement Officer or bid document. (Contact the Procurement officer regarding additional requirements and exceptions.) Bid responses electronically submitted or faxed may be rejected as non-responsive. Bids may be faxed to a third party who will put it in a properly-addressed envelope and deliver it to the NDDOT Procurement Office before the date and time specified in the solicitation.
- 12. <u>Freight/F.O.B. Destination.</u> Freight and transportation charges are to be included in the price of the products, unless otherwise specified in the solicitation. (F.O.B. Free On Board).
- 13. <u>Indemnification.</u> Bidders must review the attached Risk Management Appendix for indemnification and insurance requirements. The indemnification and insurance provisions are incorporated and made part of this solicitation and the resultant final contract. Objections to any of the provisions of the indemnification and insurance requirements must be made in writing to the attention of the Procurement Officer by the time and date set for receipt of questions. No alteration of these provisions will be permitted without prior written approval from the Purchasing Agency or Entity in consultation with the North Dakota Risk Management Division. Upon receipt of the Notice of Award, the successful bidder must obtain the required insurance coverage and provide the Procurement Officer with proof of coverage prior to contract approval. The coverage must be satisfactory to the Purchasing Agency or Entity, in consultation with the North Dakota Risk Management Division. A bidder's failure to provide evidence of insurance coverage is a material breach and grounds for withdrawal of the award or termination of the contract.

- 14. <u>Late Bids.</u> It is the bidder's responsibility to ensure that a bid response is physically deposited with the NDDOT Procurement Office prior to the date and time specified for the opening. Late bid responses will not be opened and will be rejected and returned regardless of the degree of lateness or the reasons.
- 15. **Minor Informalities.** The State reserves the right to waive minor informalities in bid responses in accordance with N.D.A.C. 4-12-10. Minor informalities are insignificant omissions or nonjudgmental mistakes that are matters of form rather than substance, evident from the bid document, with a negligible effect on price, quantity, quality, delivery, or contractual conditions that can be waived or corrected without prejudice to other bidders.
- 16. <u>Multiple Bid(s)</u>. Bidders may submit more than one bid response(s) for the item(s) specified in the solicitation. Each bid submitted must comply in all aspects with the bid requirements and these instructions.
- 17. <u>Negotiation.</u> NDDOT reserves the right to negotiate with the successful bidder to ensure the best possible consideration is afforded to all concerned.
- 18. <u>New Equipment and Materials</u>. Unless otherwise indicated in the detailed specifications of this solicitation, all equipment and materials shall be new and under current production for use in the United States.
- 19. <u>Open Records.</u> After the bid opening, bid documents will be subject to the North Dakota open records law. Records are closed or confidential only if specifically stated in law. If a request for public information is received, the procurement officer will determine whether the information is an exception to the North Dakota open records law, and the information will be processed appropriately. Those interested in reviewing the bid file are to make arrangements with the NDDOT Procurement Office. The NDDOT Procurement Office hours are 8:00 a.m. 12:00 p.m. and 1:00 p.m. 5:00 p.m. Monday through Friday.
- 20. <u>Packaging.</u> All shipments are to be packaged according to accepted commercial practices to avoid damage in shipment.
- 21. <u>Performance Bond.</u> Successful bidders will not be required to furnish a performance bond; however, failure to perform satisfactorily will result in the immediate termination of the contract(s) and bidders may be subject to removal from the bidder's list.
- 22. <u>Preparation of Bid.</u> Bids will be accepted on NDDOT forms only. The bidder's name shall be printed or typed on each sheet on which an entry is made. Bidders are cautioned to examine specifications and all instructions. Failure to do so will be at the bidder's risk. Any irregularities or lack of clarity in the invitation for bid must be brought to the attention of the Procurement Officer (Telephone: 701-328-4466, Fax: 701-328-0310, E-mail: vbrosten@nd.gov) as soon as possible. <u>Bidders shall indicate the manufacturer and provide complete specifications for materials being supplied at the time the bid is submitted. No bidder will be allowed to change any specification after the bid opening.</u>
- 23. <u>Pricing.</u> Unit prices are to be stated in United States currency and based on the unit of measurement specified in the solicitation, F.O.B. Destination, to the NDDOT delivery locations specified herein.

In the event of mathematical differences between the unit price and extended total, the unit price will prevail.

- 24. <u>Protest of Award.</u> An interested party may protest the award within seven days after receiving notice in accordance with N.D.C.C. 54-44.4-12 and N.D.A.C. 4-12-14. Notice of award will be issued only to those bidders who submitted responses to this IFB. Seven calendar days after award or issuance of the Notice of Intent to Award; it will be assumed that all interested parties knew or should have known all the facts surrounding the award.
- 25. Rejection. Bid responses may be rejected if:
 - The bid response is not legible.
 - The bid response is not completed as requested.
 - The bid response is faxed to the procurement office.
 - The bid response is not responsive to the specifications or other requirements of the solicitation.
 - The bid response is received after the time and date specified.
 - The bidder has not met Vendor Registration requirements or is suspended or debarred.
 - The bid document has been altered by the bidder.
 - The bidder is determined to be not responsible (N.D.A.C. 4-12-11-04).

- 26. <u>Signature.</u> The bid must be signed manually in ink. The name and title of the person signing the bid response must be typed or printed above the signature. The bid must be signed by **Owner**, **Partner**, **Corp**. **Pres.**, **Vice Pres.**, **or other authorized Corp**. **Officer** or the bid may be rejected. If signed by other authorized Corp. Officer or representative, please attach a letter signed by the Owner, Partner, Corp. Pres., or Vice Pres. indicating the individual has authority to enter into a contract on behalf of the company (or a Power of Attorney).
- 27. **Specifications, Brand Name or Equivalent**. Unless otherwise indicated in the detailed specifications of this solicitation, the use of a specific brand name or make/model is for illustrative purposes only, and the State will consider equivalent products. If a commodity or service put forth by a bidder is rejected as not being equivalent, the Procurement Officer will notify the bidder of the rejection.
- 28. <u>Specifications</u>, <u>Compliance</u>. All bids submitted in response to this Invitation for Bid must comply with the specifications contained herein, and the successful bidder will be held responsible. Noncompliance with specifications is grounds for rejection of the bid response. Bidders who desire to submit commodities or services that deviate from these specifications or have any objections to the specifications stated herein must be clearly pointed out PRIOR TO THE DEADLINE FOR RECEIPT OF QUESTIONS; otherwise, it will be considered that the items offered are in strict compliance with these specifications, and the bidder will be held responsible.
- 29. <u>Supplemental Terms and Conditions</u>. Bids including <u>supplemental</u> terms and conditions will be accepted, but supplemental conditions that conflict with any conditions contained in this ITB or that diminish the State's rights will be considered null and void. The State is not responsible for identifying conflicting supplemental terms and conditions before issuing a contract award.

After award of contract:

- a) If a conflict arises between a supplemental term or condition included in the bid and a term or condition of the ITB, the term or condition of the ITB will prevail, and,
- b) If the State's rights would be diminished as a result of application of a supplemental term or condition included in the bid, the supplemental term or condition will be considered null and void.

Changes, modifications, additions, or alterations to the bid document could be cause for rejection of the submitted bid at the sole discretion of the NDDOT. Contact the Procurement Officer in writing prior to the deadline for clarifications.

- 30. <u>Taxes.</u> The State does not pay sales tax or federal excise tax. The state sales tax exemption number is E-2001. The federal tax-free transaction number is 45-70-0010K. The Purchasing Agency will furnish a tax exempt certificate upon request.
- 31. **Vendor Registration.** Bids will be accepted from bidders who are not currently Approved Bidders for the State of North Dakota; however, the successful bidder may be required to become approved prior to award, in accordance with N.D.C.C. 54-44.4-09. To become an Approved Bidder, you must: 1) register with the North Dakota Secretary of State (fees apply), and 2) submit a completed Bidder List Application to the ND State Procurement Office. Registration instructions and forms are available on-line at: www.nd.gov/spo/vendor. Contact the ND State Procurement Office at 701-328-2683 or infospo@nd.gov for assistance.

Placement on the bidders list does not guarantee a bidder will receive notice of every formal solicitation. Bidders must maintain current information by submitting a Notice of Change form to the State Procurement Office (Fax 701-328-1615). Visit the website for forms: www.nd.gov/spo/vendor.

- 32. Withdrawal or changes to a bid response prior to the bid opening date and time. A bidder may withdraw or make a change to his bid response prior to the bid opening date and time. The request to make a change or withdraw must be in writing by a representative of the firm. The request to withdraw or change must be signed by the bidder or his designated representatives.
- 33. Withdrawals after the bid opening date and time. After the bid opening, no changes may be made to the bid response. The bidder may make a written request to withdraw the bid response, subject to approval by the NDDOT Procurement Office. Vendors continually withdrawing bids after the bid opening may be removed from the Vendor Database.

GENERAL CONTRACT TERMS AND CONDITIONS

- 1. <u>Affirmative Action.</u> The contractor will take affirmative action in complying with all Federal and State requirements concerning fair employment and employment of individuals with disabilities, and concerning the treatment of all employees without regard to discrimination by reason of race, color, religion, sex, national origin, or disability.
- 2. Applicable Law and Venue. Any dispute arising out of this agreement will be resolved under the laws of the State of North Dakota.
- 3. <u>Billing and Payment Procedures.</u> The initial order will be issued by the Procurement Office. Reorders may be placed by the individual NDDOT district locations during the contract period.

Invoices are to be submitted as indicated on the purchase orders unless otherwise instructed. Failure to submit correct invoices to the appropriate NDDOT office may delay contractor payment.

Payment will normally be made within thirty days after delivery and acceptance of commodities or services under this contract and receipt of a correct invoice. All invoice and payment inquiries must be directed to the purchasing agency.

- 4. <u>Binding Contract.</u> The acceptance of a bid response in writing by the purchasing agency constitutes a contract between the bidder and the State. Written acceptance from the purchasing agency will be in the form of a purchase order, notification of award, or contract. Any oral agreement or arrangement by a bidder with a State employee or purchasing agency will have no force or effect unless reduced to writing.
- 5. <u>Compliance with Laws.</u> The contractor must, in performance of work under this contract, fully comply with all applicable federal, state or local laws, rules, regulations and policies, including those relating to nondiscrimination, affirmative action, accessibility and civil rights including Title VI of the Civil Rights Act of 1964. The contractor agrees to file all required reports on time, to make required payroll deductions, and to pay all taxes and premiums owed on time, including sales and use taxes and unemployment compensation and workers' compensation premiums. The contractor shall have and keep current at all times during the term of this contract all licenses and permits required by law.
- 6. <u>Contract Amendments, Waivers.</u> After a binding contract has been entered into, no changes (i.e. additions, substitutions, subcontracting or a price adjustment) may be made, unless prior approval has been obtained from the purchasing agency and Procurement Officer.

The terms of this contract shall not be waived, altered, modified, supplemented, or amended, in any manner whatsoever, except by written instrument signed by the parties. No waiver consent, modification or change of terms of this agreement shall bind either party unless in writing and signed by both parties. Such waiver, consent, modification, or change, if made shall be effective only in the specific instance and for the specific purpose given. There are no understandings, agreements, or representations, oral or written, not specified herein regarding this agreement.

- 7. <u>Contract Price Adjustment.</u> The Contract Unit Prices shall be firm for the twelve (12) months of the contract period. On an annual basis, all unit prices may be subject to price adjustment (increase / decrease). The request for a price adjustment shall be submitted to the Procurement Office at least forty five (45) days before the scheduled contract expiration date and <u>must include justification</u> for the proposed change. The Procurement Officer will respond as follows:
 - 1) The request may be granted,
 - 2) The contract may be cancelled and solicitation may be re-advertised, or
 - 3) The contract may be continued without change.

If a price increase is approved by the NDDOT, the date the increase will be effective along with the new unit prices will be included in an amendment document. Approval of any price increase renews the twelve month firm price period.

The State shall also be advised of and receive the benefit of any price decrease. The same notification and review process will apply to a decrease in cost.

8. <u>Contract Term and Renewal Option.</u> The NDDOT will enter into a contract with an effective date **beginning August 15, 2017, and ending July 31, 2018**, inclusive. This contract may be renewed upon satisfactory completion of the initial contract term. The NDDOT reserves the right to execute up to two options to renew this contract for a period of twelve (12) months each, not to exceed thirty-six (36) months total. Renewals will be documented by amendment.

The NDDOT reserves the right to renegotiate price and terms provided that such negotiated price and terms fall within the original scope of work for this bid. Negotiations may be conducted annually or at such times that additional and unexpected services falling within the scope of the contract may occur. Such changes will be documented by amendment to the contract.

9. Contract Termination.

- a. **Termination without Cause.** This contract may be terminated by mutual consent of both parties, or by either party upon 30 days' written notice.
- b. **Termination for Lack of Funding or Authority.** The State may terminate this contract effective upon delivery of written notice to the contractor, or on any later date stated in the notice, under any of the following conditions:
 - i. If funding from federal, state, or other sources is not obtained and continued at levels sufficient to allow for purchase of the services or supplies in the indicated quantities or term. The contract may be modified by agreement of the parties in writing to accommodate a reduction in funds.
 - ii. If federal or state regulations or guidelines are modified, changed or interpreted in such a way that the services are no longer allowable or appropriate for purchase under this contract or are no longer eligible for the funding proposed for payments authorized by this contract.
 - iii. If any license or certificate required by law or regulation to be held by the contractor to provide the services required by the contract is for any reason denied, revoked or not renewed.

Any such termination of this contract under (i), (ii), or (iii), above, shall be without prejudice to any obligations or liabilities of either party already accrued prior to such termination.

- c. **Termination for Cause.** The State by written notice to the contractor may terminate the whole or any part of this contract:
 - i. If the contractor fails to provide services required by this contract within the time specified herein or any extension thereof; or
 - ii. If the contractor fails to perform any of the other provisions of this contract, or so fails to pursue the work as to endanger performance of this contract in accordance with its terms and after receipt of written notice from the State, fails to correct such failures within ten days or such longer period as NDDOT may authorize.
 - iii. The rights and remedies of the State provided in the above clause related to defaults by the contractor are not exclusive and are in addition to any other rights and remedies provided by law or under this contract.
- d. **Termination, Deliveries.** If the contract is terminated for any reason, the contractor is responsible for delivery of all commodities and services ordered prior to the termination, unless those orders had been canceled by the Purchasing Agency or Entity.
- 10. <u>Inspection and Investigations.</u> The State reserves the right to conduct inspections and investigations related to the bidder and offered commodities or services, including but not limited to the firm, its facility, personnel, qualifications, and the commodities and/or services offered to make determinations regarding compliance with the bid requirements and responsibility of the bidder.
- 11. <u>Materials and Workmanship.</u> All material and workmanship shall be subject to inspection and testing at the discretion of the purchasing agency either at the point of manufacturer, place of storage, or upon receipt.

12. <u>Receiving.</u> Deliveries must arrive at the designated destination(s) during normal business hours unless other shipping/receiving instructions are issued by NDDOT personnel. The contractor shall contact the NDDOT to schedule delivery dates and times at least 24 hours in advance of delivery.

All NDDOT offices will be closed in recognition of State holidays. Any day declared a holiday by the President or Governor will also be recognized by office closure.

- 13. Specifications. Bidder's shall submit detailed manufacturer's specifications along with this response, and upon acceptance of the bid, shall become part of the bidder's specifications. Specifications must include: brand, composition, blade analysis, hardness rating, design, dimensions, weight, etc. Promotional literature is generally not adequate. Any discrepancies between products to be furnished on the bid and manufacturer's printed specification must be documented.
- 14. <u>Subcontracts, Assignment.</u> The contractor shall not subcontract, assign or transfer the contractor's interests or duties under this contract without express written consent of the purchasing agency. However, the contractor may enter into subcontracts provided that any such subcontractor acknowledges the binding nature of this contract and incorporates this contract, including any attachments. The contractor is solely responsible for the performance of any subcontractor. The contractor shall not have the authority to contract for or incur obligations on behalf of the State.
- 15. <u>Successors in Interest.</u> The provisions of this agreement shall be binding upon and shall inure to the benefit of the parties hereto, and their respective successors and assigns.
- 16. <u>Testing and acceptance.</u> Blades may be tested upon delivery to ensure compliance with specifications prior to payment. The testing procedure requires approximately sixty (60) days. Materials failing to meet specifications will be returned at the bidder's expense.

17. Service Representative. The contractor must provide a dedicated customer service representative to provide

	The contractor shall notify the Procurement Officer in the event the representative is
changed.	
12-21	4 SCHUSTER
NAME: PATRICIO	3 Chustell
(Name of perso	n servicing this contract)
	ν 0 0
BUSINESS NAME:	KUEPER NORTH AMERICA
	121 211 22
MAILING ADDRESS:	171 CHURCH ST. SUITE 300
	11/2 1/20 01
CITY & STATE:	CHARLESTUR, SC ZIP CODE: 29401
	843-723-7361 TOLL FREE:
PHONE NUMBER:	OFF AF 136 TOLL FREE: M
FAX NI IMBER:	843-723-7762 EMAIL DSCHUSTER Q) KUEDER RLADES, COM

SECTIONAL TUNGSTEN CARBIDE INSERTED SNOWPLOW ENCASED-IN RUBBER CUTTING EDGES, 6" HEIGHT, 5/8" HOLE-PUNCHING

Similar or equal to JOMA brand blades AND PolarFlex brand blades

Individual steel segments encased in rubber with steel bushings positioned on 12" centers to mount to a snow plow. Each segment is inserted with tungsten carbide bits, brazed in place along the wear edge. The finished blade is approximately 7/8" thick by 6" wide by 4' long. Steel bushings are located 1.5" from the top of the blade on 12" centers. Each blade will have orientation embossed in the rubber casing. A 1/2" X 3" clamp bar is mounted on top to hold the blade to the plow. The clamp bar should weigh approximately 5 lbs per foot and have 11/16" square holes located on 12" centers to align with the bushings in the blade. If supplying a product equivalent to JOMA or POLARFLEX, literature must be provided.

Option 1: Carbide impregnation is not required on the curb-runner quard.

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
JOMA 6000 AF	RTICULA	ATING <u>System, Less Curb-runner G</u> NDDOT P/N 76006-36	UARD 67000	
Reorder Unknown at time of bid	EA	10' System FOB ANY NDDOT District	s No Bo	\$
Reorder Unknown at time of bid	EA	11' System FOB ANY NDDOT District	\$ (Va Bio	\$
Reorder Unknown at time of bid	EA	12' System FOB ANY NDDOT District	\$ No Bio	\$
JOMA 6000 X 4	l' (39#)	RUBBER EDGE – OR EQUAL NDDOT P/N 76006-36	37005	
150	EA	FOB NDDOT Fargo District 58103	\$ NO BID	\$
30	EA	FOB NDDOT Grand Forks District 58208	\$ NO BID	\$
88	EA	FOB NDDOT Bismarck District 58504	\$ N. BID	\$
179	EA	FOB NDDOT Minot District 58701	\$ NO BID	\$
72	EA	FOB NDDOT Valley City District 58072	\$ NO BID	\$
10	EA	FOB NDDOT Dickinson District 58601	\$ NO BID	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BID	\$
JOMA 6000 X 3	' RUBB	ER EDGE – OR EQUAL NDDOT P/N 76006-36	37006	
50	EA	FOB NDDOT Fargo District 58103	\$ NO DID	\$
50	EA	FOB NDDOT Bismarck District 58504	\$ 110 100	\$
55	EA	FOB NDDOT Minot District 58701	\$ NO B.D	\$
36	EA	FOB NDDOT Valley City District 58072	\$ NO BO	\$
5	EA	FOB NDDOT Dickinson District 58601	\$ NO 0.0	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BIO	\$

BIDDER KLEPKE ALLEN FAGLICA - GL

ITB 760-06-17-050, Cutting Edges Page 8 of 18

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
JOMA BS2390	1 4' BAC	CK SUPPORT – OR EQUAL NDDOT P/N 76006-36	67010	
20	EA	FOB NDDOT Fargo District 58103	\$ NU BIO	\$
6	EA	FOB NDDOT Grand Forks District 58208	\$ No Big	\$
4	EA	FOB NDDOT Minot District 58701	\$ 1/2 Bin	\$
10	EA	FOB NDDOT Dickinson District 58601	\$ No 300	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No 1319	\$
JOMA BS2390:	2 3' BAC	CK SUPPORT – OR EQUAL NDDOT P/N 76006-36	67011	
20	EA	FOB NDDOT Fargo District 58103	\$ NA 765	\$
7	EA	FOB NDDOT Minot District 58701	\$ NO BIS	\$
5	EA	FOB NDDOT Dickinson District 58601	\$ No Big	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Pin	\$
JOMA STRAP	4SEH (2	0#) – OR EQUAL NDDOT P/N 76006-36	37015	
20	EA	FOB NDDOT Fargo District 58103	\$ No Pio	\$
6	EA	FOB NDDOT Grand Forks District 58208	\$ No Bio	\$
3	EA	FOB NDDOT Minot District 58701	\$ No Bio	\$
10	EA	FOB NDDOT Dickinson District 58601	\$ No 100	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ Md B10	\$
JOMA STRAP	BSEH (1	5#) – OR EQUAL NDDOT P/N 76006-36	37016	
20	EA	FOB NDDOT Fargo District 58103	\$ MY Big	\$
7	EA	FOB NDDOT Minot District 58701	\$ No Pro	\$
5	EA	FOB NDDOT Dickinson District 58601	\$ NO BID	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BID	\$

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
OPTION 1 - JO	MA CUI	RB-RUNNER GUARD 663158PLH (LEFT) NDDOT P/N 76006-36	7020	
16	EA	FOB NDDOT Minot District 58701	\$ No Po	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Bio	\$
Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
OPTION 2 - JOMA CURB-RUNNER GUARD 663158PRH (RIGHT) NDDOT P/N 76006-367020				
16	EA	FOB NDDOT Minot District 58701	\$ 140 Big	\$
Reorder Unknown at	EA	FOB ANY NDDOT District	\$ /.	\$

BRAND NAME:	N/A		
MANUFACTURER:	n/a		
NITIAL ORDER DELIVERY (DAYS ARO	n/a	
DELIVERY FOR REORDERS	$s_{A/p}$	DAYS	

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
X-48-W ASSEM (3PER) – OR EC	BLY, 4	POLARFLEX FRONT MOUNT SYSTEM	C/W 5/8" X 6" ADAPTE	R BLADES, 12' PLOW
(SPER) - OR EC	YOAL.	NDDOT P/N 76006-	367700	
12	EA	FOB NDDOT Williston District 58802	\$ NU BID	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ Wasis	\$
5/8" X 6" POLA	RFLEX	XWS-12 ADAPTER BLADES – OR EQU NDDOT P/N 76006-		
36	EA	FOB NDDOT Williston District 58802	\$ No Bis	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Ben	\$
X-48-W-F, COM	PLETE	4' SECTION, POLARFLEX – OR EQUAL	-	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO DO	\$
BUX-48-W, 4' A	DAPTE	R BLADE, POLARFLEX – OR EQUAL		
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Bio	\$
AUX-48, FRONT	ANGL	E – OR EQUAL		
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Bio	\$
POLARFLEX CL	JRB GI	JARD 10620029 – OR EQUAL		and the second s
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BID	\$
BRAND NAME:	<u> </u>	/*		
MANUFACTUR	RER:	MA		
INITIAL ORDER	R DELI	VERY DAYS ARO MA		
DELIVERY FOR	R REO	RDERS MA DAYS		

BIDDER KUEDEN NORTH HARRY & 6V

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION SPECIFICATIONS FOR THROUGH-HARDENED STEEL MOTOR GRADER CUTTING EDGES

GENERAL SPECIFICATIONS:

- 1. Cutting edges must be cut in the lengths as specified herein.
- 2. Cutting edge ends shall be cleanly cut.
- Cutting edges shall be uniformly through-hardened to Brinell hardness minimum of 400, (ASTM A370 & E18, AASHTO T70). Rating must be furnished with the bid.
- 4. Lengths, as noted on the proposal, shall not vary more than ± 1/8" specified in order to fit total moldboard length in various combinations.
- 5. Bidder must specify delivery dates.

GRADER CUTTING EDGES:

- 1. Size to be: Minimum wearing edge: "thick x 8" height x the designated length
- Curved.
- 3. Painted.
- 4. Standard AASHTO punching.
- 5. If available, manufacturer's name, trademark, or identifying part number to be stamped in the non-wear area for warranty claim abilities.
- 6. Warranty replacement for breakage 2 for 1.

REFERENCE ATTACHMENT A DRAWING

BIDDER LUEDEL NOUV AMERICA-6W

THRU-HARDENED STEEL MOTOR GRADER EDGES 5/8" BOLT & HOLE PUNCH (unless noted otherwise)

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
5/8" x 8" Grade	er Thro	ugh Hardened – 5FT		
***************************************		NDDOT P/N 7600	6-361646	
20	EA	FOB NDDOT Fargo District 58103	\$ NU BID	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Bin	\$
5/8" x 8" Grade	er Thro	ugh Hardened – 6FT		
	T	NDDOT P/N 7600	6-361653	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Big	\$
5/8" x 8" Grade	er Thro	ugh Hardened – 7FT		
	ı	NDDOT P/N 76000	6-361778	
60	EA	FOB NDDOT Fargo District 58103	\$ No 1310	\$
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO Bus	\$
5/8" x 8" Grade	r Thro	ugh Hardened – 8FT		Activities and the second seco
	r	NDDOT P/N 76000	6-361786	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO 310	\$
1/2" x 8" Grade	er Throu	u gh Hardened - 6FT-6FT 11" NDDOT P/N 76006	6-361661	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BIO	\$
1/2" x 8" Grade	r Throu	ugh Hardened - 7FT-7FT 11"		
		NDDOT P/N 76006	3-361752	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ NO BIO	\$
1/2" x 8" Grade	r Throu	i gh Hardened - 8FT-8FT 11" NDDOT P/N 76006	3-361794	
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ No Bia	\$
BRAND NAME	:	V 4		
MANUFACTU	RER:	NA		
INITIAL ORDE	R DELI	VERY DAYS ARO A/A		
DELIVERY EO	ם חבסו	PDEDS A /A DAVE		

BIDDER WEDER MONTH HARRICA - GW

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION SPECIFICATIONS FOR

PREMIUM SECTIONAL TUNGSTEN CARBIDE-TIPPED CUTTING EDGES SNOWPLOW AND UNDERBODY SCRAPER

Similar or equal to Kueper Premium Carbide Insert Snowplow Blade

BLADE

- 1. The blades shall be SAE1045 steel.
- The blades shall be fabricated in various sections to provide the lengths indicated on the bid sheet, and shall be manufactured in accordance with the dimensions detailed in ATTACHMENT B.
- 3. Hole-punching shall be $^{11}/_{16}$ " square, countersunk to receive $^5/_8$ " diameter plow bolts. The hole spacing shall be as per AASHTO standards.
- 4. The finished blade sections shall be given one coat of rust resistant lacquer.
- 5. The finished blade sections shall be free of warpage, with the longitudinal deviation not to exceed $\frac{1}{8}$ in a four foot section.
- The complete cutting edge shall consist of a combination of sections, with the two end sections interchangeable.

TUNGSTEN CARBIDE INSERTS

- 1. The inserts shall be high grade tungsten carbide with 10-12 percent cobalt content. The tungsten carbide shall be new. No reclaimed tungsten carbide will be allowed.
- 2. The density shall be in the range of 14.1 to 14.6.
- 3. The hardness shall be in the range of 88 minimum to 93 maximum Rockwell A scale.
- 4. The transverse rupture strength of the carbide shall be 350,000 psi minimum.
- 5. The sections shall essentially have 1" of tungsten per each 1" of section. A carbide analysis certification shall be submitted with each bid.

BRAZING

- 1. Brazing is required on all contact surfaces.
- 2. The braze material shall have a shear strength of 30,000 psi.

SPECIFIC REQUIREMENTS

- 1. If supplying a product equivalent to Kueper Premium Carbide Insert Snowplow Blades, **literature must be** provided.
- The supplier shall provide written certification that states the cutting edges shipped meet all the requirement contained in the specification.
- 3. Materials and assembly shall be guaranteed with replacement against breakage and brazing failure, as well as satisfactory performance under normal cold weather snow and ice removal operations.


BIDDER KUEPEL MOREN FRENCO - 60

Quantity	Unit	Detailed Specifications	Unit Price Each	Extended Price
Premium :	Premium Sectional Tungsten Carbide Tipped Cutting Edges Snowplow and Underbody Scraper – 3FT NDDOT P/N 76006-366505			
200	EA	FOB NDDOT Valley City District 58072	\$ 188,40	\$ 37,680.00
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ 195.00	\$
Premium Sectional Tungsten Carbide Tipped Cutting Edges Snowplow and Underbody Scraper – 4FT NDDOT P/N 76006-366510				
400	EA	FOB NDDOT Valley City District 58072	\$ 25/.20	\$ 100,480.00
Reorder Unknown at time of bid	EA	FOB ANY NDDOT District	\$ 260.00	\$

BRAND NAME: KUEPER PREMIUM CARBIDE SNOWDLOW B	LADE
MANUFACTURER: BETEK	
NITIAL ORDER DELIVERY DAYS ARO	
DELIVERY FOR REORDERS / // DAYS	

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION


Surface Harden Cutting Edges



MOTOR GRADER

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION

PUNCHING SPACE SNOWPLOW CUTTING EDGES



N.D. DEPT. OF TRANSPORTATION - PURCHASING CONTACTS AND SHIP TO ADDRESSES

61 - BISMARCK DISTRICT:

NDDOT - BISMARCK DISTRICT (701) 328-6941 218 S AIRPORT ROAD (701) 328-6933 FAX BISMARCK ND 58504-6003 MARC REED, STOREKEEPER

62 - VALLEY CITY DISTRICT:

NDDOT - VALLEY CITY DISTRICT (701) 845-8803 1524 8TH AVENUE SW (701) 845-8804 FAX VALLEY CITY ND 58072-4200 RENEE HAZELTON, STOREKEEPER

63 - DEVILS LAKE DISTRICT:

NDDOT - DEVILS LAKE DISTRICT (701) 665-5119 316 6TH ST SE (701) 328-0329 FAX DEVILS LAKE ND 58301 LISA VETSCH, STOREKEEPER

64 -MINOT DISTRICT:

NDDOT - MINOT DISTRICT (701) 857-6928 1305 HIGHWAY 2 BYPASS EAST (701) 857-6932 FAX MINOT ND 58701-7922 LINDA KILLMER, STOREKEEPER

65 – DICKINSON DISTRICT:

NDDOT - DICKINSON DISTRICT (701) 227-6525 1700 3RD AVENUE W SUITE 101 (701) 227-6505 FAX DICKINSON ND 58601-3009 SHARON PRIVRATSKY, STOREKEEPER

66 -GRAND FORKS DISTRICT:

NDDOT - GRAND FORKS DISTRICT (701) 787-6521 1951 NORTH WASHINGTON (701) 787-6515 FAX PO BOX 13077 GRAND FORKS ND 58208-3077 GEORGE PALO, STOREKEEPER

67 -WILLISTON DISTRICT:

NDDOT - WILLISTON DISTRICT (701) 774-2721 605 DAKOTA PARKWAY WEST (701) 774-2704 FAX PO BOX 698 WILLISTON ND 58802-0698 SUSAN PERCOSKI, STOREKEEPER

68 -FARGO DISTRICT:

NDDOT - FARGO DISTRICT (701) 239-8910 503- 38TH STREET SOUTH (701) 239-8915 FAX FARGO ND 58103-1198 JONATHON LEE, STOREKEEPER

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION APPENDIX A OF THE TITLE VI ASSURANCES

During the performance of this contract, the Contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the Contractor) agrees as follows:

- 1. <u>Compliance with Regulations</u>: The Contractor (hereinafter includes consultants) will comply with the Acts and the Regulations relative to Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, the Federal Highway Administration, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
- 2. <u>Non-discrimination</u>: The Contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The Contractor will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
- 3. <u>Solicitations for Subcontracts, Including Procurements of Materials and Equipment</u>: In all solicitations, either by competitive bidding, or negotiation made by the Contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the Contractor of the Contractor's obligations under this contract and the Acts and the Regulations relative to Non-discrimination on the grounds of race, color, or national origin.
- 4. <u>Information and Reports</u>: The Contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the Federal Highway Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a Contractor is in the exclusive possession of another who fails or refuses to furnish the information, the Contractor will so certify to the Recipient or the Federal Highway Administration as appropriate, and will set forth what efforts it has made to obtain the information.
- 5. <u>Sanctions for Noncompliance</u>: In the event of a contractor's noncompliance with the Nondiscrimination provisions of this contract, the Recipient will impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - a. withholding payments to the Contractor under the contract until the Contractor complies; and/or
 - b. cancelling, terminating, or suspending a contract, in whole or in part.
- 6. <u>Incorporation of Provisions</u>: The Contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The Contractor will take action with respect to any subcontract or procurement as the Recipient or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the Contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the Contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the Contractor may request the United States to enter into the litigation to protect the interests of the United States.



NORTH DAKOTA DEPARTMENT OF TRANSPORTATION APPENDIX E OF THE TITLE VI ASSURANCES

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the Contractor) agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Pertinent Non-Discrimination Authorities:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d *et seq.*, 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and
 applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section
 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to
 include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors,
 whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.P.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and
 resulting agency guidance, national origin discrimination includes discrimination because of limited English
 proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP
 persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).



Risk Management Appendix

Supply Contracts with Private Individuals, Companies, Corporations, Etc.:

Each party agrees to assume its own liability for any and all claims of any nature including all costs, expenses and attorney's fees which may in any manner result from or arise out of this agreement.

Contractor, or Contractor's delivery agent, shall secure and keep in force during the term of this agreement, from insurance companies, government self-insurance pools or government self-retention funds authorized to do business in North Dakota, the following insurance coverages:

- 1) Commercial general liability and automobile liability insurance.
- 2) Workers compensation insurance.

Contractor shall produce certificates of insurance or copies of insurance policies upon request by the State.

When a portion of a Contract is sublet, the Contractor shall obtain insurance protection (as outlined above) to provide liability coverage to protect the Contractor and the State as a result of work undertaken by the Subcontractor. In addition, the Contractor shall ensure that any and all parties performing work under the Contract are covered by public liability insurance as outlined above. All Subcontractors performing work under the Contract are required to maintain the same scope of insurance required of the Contractor. The Contractor shall be held responsible for ensuring compliance with those requirements by all Subcontractors.

RM Consulted 2007 Revised 6-07



Amendment No. 1

To: ALL INTERESTED SUPPLIERS

From: North Dakota Department of Transportation

Date: July 31, 2017

Re: Amendment to Bid 760-06-17-050, Cutting Edges

Ridders Instruction #8 of the solicitation established a deadline for receipt of questions. The responses

Bidders Instruction #8 of the solicitation established a deadline for receipt of questions. The responses to these questions are provided as addenda to the solicitation. When necessary, the solicitation has been amended.

Question 1:

After reviewing the section for "Premium Sectional Tungsten Carbide Tipped Cutting Edges Snowplow and Underbody Scraper", I see the chemical specifications for the carbide inserts, but I don't see the required dimensions of the carbide insert. Do you have those available?

Answer 1:

Rectangular shaped

Height: 0.69" Width: 0.30" Length: 1" nominal

The bid is hereby amended.

Vendors are instructed to acknowledge receipt of and compliance with this amendment by signing below and returning this acknowledgement with your bid or proposal.

Any questions regarding this amendment must be submitted in writing to the undersigned Procurement Officer.

Vanessa Brosten, Procurement Officer

PHONE: 701-328-4466 FAX: 701-328-0310 E-MAIL: vbrosten@nd.gov


By my signature below, I hereby acknowledge receipt of and compliance with this amendment to the above referenced solicitation.

PRINTED NAME OF BIDDER OR OFFEROR and TITLE	0
GARDINER WILLIS, MANAGING	PARTNER
SIGNATURE /	DATE
l falu	8/4/17
	, ,





High Quality Carbide Snowplow Blades Distributed Exclusively by Kueper, North America



BETEK Snowplow blades BX93 & BX94

BETEK snowplow blades are constructed of AISI-SAE 1045 steel, with wear resistant, high quality tungsten carbide inserts. Available in 3' or 4' lengths, and made for all types of snowplows and road surfaces.

Snowplow blades with tungsten carbide inserts

BETEK tungsten carbide blades are specifically designed for a variety of plowing applications.

BETEK uses tungsten carbide, ensuring high durability and fracture resistance. Combined with high quality steel, BETEK manufactures blades that provide excellent support of the performance of modern snowplow technology.

A high degree of efficiency is guaranteed through the balance of wear between the tungsten carbide and the steel body, thus insuring the complete use of the tungsten carbide inserts in each snowplow blade.

Resulting in quality, time and cost advantages.

Durability

Betek high quality carbide snowplow blades.


High quality tungsten carbide and consistent brazing technology ensures top performance and longevity up to two times that of normal carbide blades.


+175%

BETEK - Basis facts:

- / German manufacturer of tungsten carbide and tungsten carbide equipped wear parts since 1981.
- ✓ BETEK is one of the foremost global manufacturers of wear parts incorporating tungsten carbide.
- ✓ Tools are engineered and produced in the Black Forest in Germany.

Standard Carbide
BETEK Carbide






Steel

AISI-SAE 1045

Tungsten Carbide

A chemical compound consisting of equal parts tungsten and carbon. It is characterized by its extreme hardness, which is nearly as high as that of diamonds. This material stands up to the toughest loads.




Technology

BETEK developed special brazing techniques in order to ensure a permanent connection between the two materials, which is critical to insure maximized tool life. The production process is controlled using strict criteria and in-process inspection and analysis. For instance, the braze joint quality is checked by means of shear resistance.

These extra efforts pay off in the field of application. During operation, the blades heat up tremendously. Tungsten carbide and steel have different thermal characteristics. This causes enormous nominal tensile stress within the blade when in use.

To counteract this, BETEK employs a special brazing material that resists and absorbs these resultant tensile stresses.

Mounting and Operating Instructions



Driving Direction

- Use only grade 8 counter sunk carriage bolts and appropriate grade 8 locking hardware
- Torque to 150 foot pounds maximum
- May be used at any angle of operation between 0 and 35 degrees

Areas of use







Motorway Country ro


Kueper North America, LLC,171 Church Street, Suite 300 Charleston, SC 29401, info@kueperblades.com

843.345.6788 www.kueperblades.com





High Quality Carbide Snowplow Blades Distributed Exclusively by Kueper, North America



BETEK Snowplow blades BX93 & BX94

BETEK snowplow blades are constructed of AISI-SAE 1045 steel, with wear resistant, high quality tungsten carbide inserts. Available in 3' or 4' lengths, and made for all types of snowplows and road surfaces.

Snowplow blades with tungsten carbide inserts

BETEK tungsten carbide blades are specifically designed for a variety of plowing applications.

BETEK uses tungsten carbide, ensuring high durability and fracture resistance. Combined with high quality steel, BETEK manufactures blades that provide excellent support of the performance of modern snowplow technology.

A high degree of efficiency is guaranteed through the balance of wear between the tungsten carbide and the steel body, thus insuring the complete use of the tungsten carbide inserts in each snowplow blade.

Resulting in quality, time and cost advantages.

Durability

Betek high quality carbide snowplow blades.


High quality tungsten carbide and consistent brazing technology ensures top performance and longevity up to two times that of normal carbide blades.

+175%

BETEK - Basis facts:

- / German manufacturer of tungsten carbide and tungsten carbide equipped wear parts since 1981.
- ✓ BETEK is one of the foremost global manufacturers of wear parts incorporating tungsten carbide.
- ✓ Tools are engineered and produced in the Black Forest in Germany.

Standard Carbide BETEK Carbide






Steel

AISI-SAE 1045

Tungsten Carbide

A chemical compound consisting of equal parts tungsten and carbon. It is characterized by its extreme hardness, which is nearly as high as that of diamonds. This material stands up to the toughest loads.




Technology

BETEK developed special brazing techniques in order to ensure a permanent connection between the two materials, which is critical to insure maximized tool life. The production process is controlled using strict criteria and in-process inspection and analysis. For instance, the braze joint quality is checked by means of shear resistance.

These extra efforts pay off in the field of application. During operation, the blades heat up tremendously. Tungsten carbide and steel have different thermal characteristics. This causes enormous nominal tensile stress within the blade when in use.

To counteract this, BETEK employs a special brazing material that resists and absorbs these resultant tensile stresses.

Mounting and Operating Instructions



Driving Direction

- Use only grade 8 counter sunk carriage bolts and appropriate grade 8 locking hardware
- Torque to 150 foot pounds maximum
- May be used at any angle of operation between 0 and 35 degrees

Areas of use







Kueper North America, LLC,171 Church Street, Suite 300 Charleston, SC 29401, info@kueperblades.com

843.345.6788 www.kueperblades.com



BETEK GmbH & Co. KG, Sulgener Str. 21-23, D-78733 Aichhalden

Department:

Environmental Technologies

Name:

Julian Roming

E-mail:

j.roming@betek.de

Date:

03.08.2017

Reference: BETEK specifications of Tungsten Carbide Snow plow blades.

Dear Sir or Madam,

please find below the specifications of BETEK Tungsten Carbide Snow plow blades.

Steel:

Material	AISI-SAE 1045
Dimension	5,1" x 0,78" (130 x 20 mm)
Bolt hole size	0.69" square hole, center 1.08" from top

Tungsten Carbide:

Purity	Virgin tungsten carbide quality specs
Quality	Free of cracks - high quality brazing
Cobalt content	11.0 +/- 0.2 [%]
Density	14.4 +/- 0.2 [g/cm³]
Hardness	1100-1300 [HV10]
Rupture Strength	377,091 [PSI] (2,600 N/mm²)
Shape	Bullnose
Height	0,69" / 17.5 mm
Width	0.3" / 7.6 mm
Length	1.91 (48.4 mm) or
_	1.18 (30 mm)
Insert placement	Slot for carbide blocks is shifted 0.88" (2 mm) to the front

3000272 / 04-16



BETEK GmbH & Co. KG, Sulgener Str. 21-23, D-78733 Aichhalden

Brazing:

Quality	Brazed on all contact surfaces No voids
Braze shear strength	36,260.4 [PSI]

Miscellaneous:

Longitudinal Deviation	4' - 1/8" (3 mm) 3' - 3/32" (2,38 mm)
Difference in Carbide Height	1/32" (0,8 mm)

With best regards

BETEK GmbH & Co. KG

UID DE142646773; Steuer-Nr. 15045/02805



BETEK GmbH & Co. KG, Sulgener Str. 21-23, D-78733 Aichhalden

Department: **Environmental Technologies**

Name: Julian Roming

E-mail: j.roming@betek.de

Date: 03.08.2017

Reference: BETEK specifications of Tungsten Carbide Snow plow blades.

Dear Sir or Madam,

please find below the specifications of BETEK Tungsten Carbide Snow plow blades.

Steel:

Material	AISI-SAE 1045
Dimension	5,1" x 0,78" (130 x 20 mm)
Bolt hole size	0.69" square hole, center 1.08" from top

Tungsten Carbide:

Purity	Virgin tungsten carbide quality specs
Quality	Free of cracks - high quality brazing
Cobalt content	11.0 +/- 0.2 [%]
Density	14.4 +/- 0.2 [g/cm³]
Hardness	1100-1300 [HV10]
Rupture Strength	377,091 [PSI] (2,600 N/mm²)
Shape	Bullnose
Height	0,69" / 17.5 mm
Width	0.3" / 7.6 mm
Length	1.91 (48.4 mm) or
	1.18 (30 mm)
Insert placement	Slot for carbide blocks is shifted 0.88" (2 mm) to the front

9000272 / 04-16



BETEK GmbH & Co. KG, Sulgener Str. 21-23, D-78733 Aichhalden

Brazing:

Quality	Brazed on all contact surfaces No voids
Braze shear strength	36,260.4 [PSI]

Miscellaneous:

Longitudinal Deviation	4' - 1/8" (3 mm) 3' - 3/32" (2,38 mm)
Difference in Carbide Height	1/32" (0,8 mm)

With best regards

BETEK GmbH & Co. KG

UID DE142646773; Steuer-Nr. 15045/02805